



GPS MONUMENTS
WAYNE COUNTY
OHIO

BEGIN




WAYNE COUNTY



Baughman Township
Canaan Township
Chester Township
Chippewa Township
Clinton Township
Congress Township
East Union Township
Franklin Township

Green Township
Milton Township
Paint Township
Plain Township
Salt Creek Township
Sugar Creek Township
Wayne Township
Wooster Township

Baughman Township



GPS Station - BAU1
GPS Station - BAU2
GPS Station - BAU3
GPS Station - BAU4
GPS Station - BAU5
GPS Station - BAU6
GPS Station - BAU7
GPS Station - BAU8


GPS Station - BAU9
GPS Station - BAU10
GPS Station - CHIP
GPS Station - D281
GPS Station - HORST_AZ
GPS Station - N287
GPS Station - Q287

[Return to Key Map](#)

WAYNE COUNTY

STATION NAME	<u>BAU1</u>	TOWNSHIP	<u>BAUGHMAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GSC</u>
USGS QUAD	<u>ORRVILLE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 49' 39.03525"</u>	LONGITUDE (W)	<u>81° 45' 53.79848"</u>
NORTH (y) meters	<u>129,168.031</u>	EAST (x) meters	<u>662,001.051</u>
NORTH (y) US feet	<u>423,778.78</u>	EAST (x) US feet	<u>2,171,915.11</u>
CONVERGENCE	<u>00° 28' 58.42"</u>	COMBINED FACTOR	<u>0.99989474</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>338.691</u>	ELEVATION (z) US feet	<u>1111.19</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>BAU2</u>	TOWNSHIP	<u>BAUGHMAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GSC</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 53' 18.94654"</u>	LONGITUDE (W)	<u>81° 43' 45.93373"</u>
NORTH (y) meters	<u>135,976.983</u>	EAST (x) meters	<u>664,936.940</u>
NORTH (y) US feet	<u>446,117.82</u>	EAST (x) US feet	<u>2,181,547.28</u>
CONVERGENCE	<u>00° 30' 22.42"</u>	COMBINED FACTOR	<u>0.99989166</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>333.593</u>	ELEVATION (z) US feet	<u>1094.46</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>BAU3</u>	TOWNSHIP	<u>BAUGHMAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GSC</u>
USGS QUAD	<u>DALTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 51' 33.93209"</u>	LONGITUDE (W)	<u>81° 42' 30.24629"</u>
NORTH (y) meters	<u>132,753.715</u>	EAST (x) meters	<u>666,738.027</u>
NORTH (y) US feet	<u>435,542.81</u>	EAST (x) US feet	<u>2,187,456.34</u>
CONVERGENCE	<u>00° 31' 12.15"</u>	COMBINED FACTOR	<u>0.99989591</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>317.376</u>	ELEVATION (z) US feet	<u>1041.26</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>BAU4</u>	TOWNSHIP	<u>BAUGHMAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GSC</u>
USGS QUAD	<u>DALTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 50' 56.84264"</u>	LONGITUDE (W)	<u>81° 44' 41.27007"</u>
NORTH (y) meters	<u>131,582.492</u>	EAST (x) meters	<u>663,679.583</u>
NORTH (y) US feet	<u>431,700.23</u>	EAST (x) US feet	<u>2,177,422.10</u>
CONVERGENCE	<u>00° 29' 46.07"</u>	COMBINED FACTOR	<u>0.9989822</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>306.912</u>	ELEVATION (z) US feet	<u>1006.93</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>BAU5</u>	TOWNSHIP	<u>BAUGHMAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GSC</u>
USGS QUAD	<u>DALTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 51' 37.34069"</u>	LONGITUDE (W)	<u>81° 38' 52.47020"</u>
NORTH (y) meters	<u>132,906.910</u>	EAST (x) meters	<u>671,836.915</u>
NORTH (y) US feet	<u>436,045.42</u>	EAST (x) US feet	<u>2,204,184.94</u>
CONVERGENCE	<u>00° 33' 35.21"</u>	COMBINED FACTOR	<u>0.99989167</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>344.025</u>	ELEVATION (z) US feet	<u>1128.69</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>BAU6</u>	TOWNSHIP	<u>BAUGHMAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GSC</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 52' 58.75347"</u>	LONGITUDE (W)	<u>81° 38' 52.54045"</u>
NORTH (y) meters	<u>135,418.027</u>	EAST (x) meters	<u>671,810.736</u>
NORTH (y) US feet	<u>444,283.98</u>	EAST (x) US feet	<u>2,204,099.06</u>
CONVERGENCE	<u>00° 33' 35.17"</u>	COMBINED FACTOR	<u>0.99989210</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>332.739</u>	ELEVATION (z) US feet	<u>1091.66</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>BAU7</u>	TOWNSHIP	<u>BAUGHMAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GSC</u>
USGS QUAD	<u>DALTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 49' 52.02834"</u>	LONGITUDE (W)	<u>81° 38' 53.04339"</u>
NORTH (y) meters	<u>129,658.487</u>	EAST (x) meters	<u>671,855.223</u>
NORTH (y) US feet	<u>425,387.89</u>	EAST (x) US feet	<u>2,204,245.01</u>
CONVERGENCE	<u>00° 33' 34.84"</u>	COMBINED FACTOR	<u>0.99989497</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>335.510</u>	ELEVATION (z) US feet	<u>1100.75</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>BAU8</u>	TOWNSHIP	<u>BAUGHMAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GSC</u>
USGS QUAD	<u>DALTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 49' 30.03020"</u>	LONGITUDE (W)	<u>81° 42' 02.17093"</u>
NORTH (y) meters	<u>128,938.017</u>	EAST (x) meters	<u>667,430.532</u>
NORTH (y) US feet	<u>423,024.14</u>	EAST (x) US feet	<u>2,189,728.34</u>
CONVERGENCE	<u>00° 31' 30.59"</u>	COMBINED FACTOR	<u>0.99989514</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>337.283</u>	ELEVATION (z) US feet	<u>1106.57</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>BAU9</u>	TOWNSHIP	<u>BAUGHMAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GSC</u>
USGS QUAD	<u>DALTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 50' 13.11336"</u>	LONGITUDE (W)	<u>81° 40' 36.13099"</u>
NORTH (y) meters	<u>130,285.646</u>	EAST (x) meters	<u>669,433.934</u>
NORTH (y) US feet	<u>427,445.49</u>	EAST (x) US feet	<u>2,196,301.17</u>
CONVERGENCE	<u>00° 32' 27.11"</u>	COMBINED FACTOR	<u>0.99989415</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>338.114</u>	ELEVATION (z) US feet	<u>1109.30</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>BAU10</u>	TOWNSHIP	<u>BAUGHMAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GSC</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 53' 13.82163"</u>	LONGITUDE (W)	<u>81° 38' 52.49716"</u>
NORTH (y) meters	<u>135,882.807</u>	EAST (x) meters	<u>671,807.208</u>
NORTH (y) US feet	<u>445,808.84</u>	EAST (x) US feet	<u>2,204,087.48</u>
CONVERGENCE	<u>00° 33' 35.20"</u>	COMBINED FACTOR	<u>0.99989143</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>335.534</u>	ELEVATION (z) US feet	<u>1100.83</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CHIP</u>	TOWNSHIP	<u>BAUGHMAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 53' 05.52806"</u>	LONGITUDE (W)	<u>81° 45' 47.10276"</u>
NORTH (y) meters	<u>135,538.578</u>	EAST (x) meters	<u>662,104.112</u>
NORTH (y) US feet	<u>444,679.48</u>	EAST (x) US feet	<u>2,172,253.24</u>
CONVERGENCE	<u>00° 29' 02.82"</u>	COMBINED FACTOR	<u>0.99989052</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>342.155</u>	ELEVATION (z) US feet	<u>1122.55</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>D281</u>	TOWNSHIP	<u>BAUGHMAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>ORRVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 49' 19.23272"</u>	LONGITUDE (W)	<u>81° 45' 52.31379"</u>
NORTH (y) meters	<u>128,557.522</u>	EAST (x) meters	<u>662,040.987</u>
NORTH (y) US feet	<u>421,775.80</u>	EAST (x) US feet	<u>2,172,046.14</u>
CONVERGENCE	<u>00° 28' 59.40"</u>	COMBINED FACTOR	<u>0.99989783</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>321.565</u>	ELEVATION (z) US feet	<u>1055.00</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>HORST AZ</u>	TOWNSHIP	<u>BAUGHMAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>DALTON</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 49' 10.37287"</u>	LONGITUDE (W)	<u>81° 38' 53.19232"</u>
NORTH (y) meters	<u>128,373.619</u>	EAST (x) meters	<u>671,864.284</u>
NORTH (y) US feet	<u>421,172.45</u>	EAST (x) US feet	<u>2,204,274.74</u>
CONVERGENCE	<u>00° 33' 34.74"</u>	COMBINED FACTOR	<u>0.99989118</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>365.139</u>	ELEVATION (z) US feet	<u>1197.96</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>N287</u>	TOWNSHIP	<u>BAUGHMAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 53' 56.19535"</u>	LONGITUDE (W)	<u>81° 40' 00.82232"</u>
NORTH (y) meters	<u>137,174.354</u>	EAST (x) meters	<u>670,195.348</u>
NORTH (y) US feet	<u>450,046.19</u>	EAST (x) US feet	<u>2,198,799.24</u>
CONVERGENCE	<u>00° 32' 50.31"</u>	COMBINED FACTOR	<u>0.99989423</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>313.723</u>	ELEVATION (z) US feet	<u>1029.27</u>


STATION REFERENCES




WAYNE COUNTY

STATION NAME	<u>Q287</u>	TOWNSHIP	<u>BAUGHMAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 54' 00.10428"</u>	LONGITUDE (W)	<u>81° 41' 56.34028"</u>
NORTH (y) meters	<u>137,269.595</u>	EAST (x) meters	<u>667,490.636</u>
NORTH (y) US feet	<u>450,358.66</u>	EAST (x) US feet	<u>2,189,925.53</u>
CONVERGENCE	<u>00° 31'34.42"</u>	COMBINED FACTOR	<u>0.99989411</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>314.130</u>	ELEVATION (z) US feet	<u>1030.61</u>

STATION REFERENCES



Canaan Township



GPS Station - CAN1
GPS Station - CAN2
GPS Station - CAN3
GPS Station - CAN4
GPS Station - CAN5
GPS Station - CAN6


GPS Station - CAN7
GPS Station - CAN8
GPS Station - CAN9
GPS Station - D289
GPS Station - Y288

[Return to Key Map](#)

WAYNE COUNTY

STATION NAME	<u>CAN1</u>	TOWNSHIP	<u>CANAAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>CRESTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 54' 53.46925"</u>	LONGITUDE (W)	<u>81° 54' 38.50332"</u>
NORTH (y) meters	<u>138,773.474</u>	EAST (x) meters	<u>649,641.783</u>
NORTH (y) US feet	<u>455,292.64</u>	EAST (x) US feet	<u>2,131,366.42</u>
CONVERGENCE	<u>00° 23' 13.72"</u>	COMBINED FACTOR	<u>0.99988798</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>348.579</u>	ELEVATION (z) US feet	<u>1143.63</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CAN2</u>	TOWNSHIP	<u>CANAAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>CRESTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 56' 38.87823"</u>	LONGITUDE (W)	<u>81° 54' 10.90815"</u>
NORTH (y) meters	<u>142,029.250</u>	EAST (x) meters	<u>650,265.228</u>
NORTH (y) US feet	<u>465,974.30</u>	EAST (x) US feet	<u>2,133,411.84</u>
CONVERGENCE	<u>00° 23' 31.85"</u>	COMBINED FACTOR	<u>0.99989081</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>322.730</u>	ELEVATION (z) US feet	<u>1058.82</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CAN3</u>	TOWNSHIP	<u>CANAAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>CRESTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 58' 02.56886"</u>	LONGITUDE (W)	<u>81° 53' 56.78879"</u>
NORTH (y) meters	<u>144,612.999</u>	EAST (x) meters	<u>650,577.675</u>
NORTH (y) US feet	<u>474,451.15</u>	EAST (x) US feet	<u>2,134,436.92</u>
CONVERGENCE	<u>00° 23' 41.12"</u>	COMBINED FACTOR	<u>0.99989338</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>301.355</u>	ELEVATION (z) US feet	<u>988.70</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CAN4</u>	TOWNSHIP	<u>CANAAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>CRESTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 59' 22.79512"</u>	LONGITUDE (W)	<u>81° 53' 30.37820"</u>
NORTH (y) meters	<u>147,091.907</u>	EAST (x) meters	<u>651,177.909</u>
NORTH (y) US feet	<u>482,584.03</u>	EAST (x) US feet	<u>2,136,406.19</u>
CONVERGENCE	<u>00° 23' 58.47"</u>	COMBINED FACTOR	<u>0.99989266</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>302.08</u>	ELEVATION (z) US feet	<u>991.07</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CAN5</u>	TOWNSHIP	<u>CANAAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>CRESTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 54' 50.03303"</u>	LONGITUDE (W)	<u>81° 52' 42.77677"</u>
NORTH (y) meters	<u>138,686.280</u>	EAST (x) meters	<u>652,350.427</u>
NORTH (y) US feet	<u>455,006.57</u>	EAST (x) US feet	<u>2,140,253.03</u>
CONVERGENCE	<u>00° 24' 29.74"</u>	COMBINED FACTOR	<u>0.99989091</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>330.205</u>	ELEVATION (z) US feet	<u>1083.35</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CAN6</u>	TOWNSHIP	<u>CANAAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>CRESTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 54' 55.50352"</u>	LONGITUDE (W)	<u>81° 57' 18.49311"</u>
NORTH (y) meters	<u>138,811.881</u>	EAST (x) meters	<u>645,897.774</u>
NORTH (y) US feet	<u>455,418.64</u>	EAST (x) US feet	<u>2,119,082.95</u>
CONVERGENCE	<u>00° 21' 28.61"</u>	COMBINED FACTOR	<u>0.99988715</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>353.723</u>	ELEVATION (z) US feet	<u>1160.51</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u> CAN7 </u>	TOWNSHIP	<u> CANAAN </u>
TYPE OF MARK	<u> Brass Disk in Conc. </u>	SET BY	<u> GCS </u>
USGS QUAD	<u> CRESTON </u>	DATE SET	<u> 02/01/98 </u>
HORIZONTAL DATUM	<u> NAD83-86 </u>	HORIZONTAL ORDER	<u> 1 st </u>
LATITUDE (N)	<u> 40° 56' 39.63819" </u>	LONGITUDE (W)	<u> 81° 57' 23.84987" </u>
NORTH (y) meters	<u> 142,023.189 </u>	EAST (x) meters	<u> 645,752.419 </u>
NORTH (y) US feet	<u> 465,954.41 </u>	EAST (x) US feet	<u> 2,118,606.06 </u>
CONVERGENCE	<u> 00° 21' 25.09" </u>	COMBINED FACTOR	<u> 0.99988820 </u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u> NAVD88 </u>	VERTICAL ORDER	<u> 2 nd </u>
ELEVATION (z) METERS	<u> 339.312 </u>	ELEVATION (z) US feet	<u> 1113.23 </u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CAN8</u>	TOWNSHIP	<u>CANAAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>CRESTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 58' 25.15821"</u>	LONGITUDE (W)	<u>81° 57' 28.36978"</u>
NORTH (y) meters	<u>145,277.367</u>	EAST (x) meters	<u>645,626.472</u>
NORTH (y) US feet	<u>476,630.83</u>	EAST (x) US feet	<u>2,118,192.85</u>
CONVERGENCE	<u>00° 21' 22.12"</u>	COMBINED FACTOR	<u>0.99989092</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>315.817</u>	ELEVATION (z) US feet	<u>1036.14</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CAN9</u>	TOWNSHIP	<u>CANAAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>CRESTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 59' 22.60297"</u>	LONGITUDE (W)	<u>81° 57' 29.37622"</u>
NORTH (y) meters	<u>147,049.149</u>	EAST (x) meters	<u>645,591.934</u>
NORTH (y) US feet	<u>482,443.75</u>	EAST (x) US feet	<u>2,118,079.54</u>
CONVERGENCE	<u>00° 21' 21.46"</u>	COMBINED FACTOR	<u>0.99989410</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>292.911</u>	ELEVATION (z) US feet	<u>960.99</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>D289</u>	TOWNSHIP	<u>CANAAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>CRESTON</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 55' 49.54513"</u>	LONGITUDE (W)	<u>81° 54' 23.60823"</u>
NORTH (y) meters	<u>140,505.521</u>	EAST (x) meters	<u>649,978.544</u>
NORTH (y) US feet	<u>460,975.20</u>	EAST (x) US feet	<u>2,132,471.27</u>
CONVERGENCE	<u>00° 23' 23.50"</u>	COMBINED FACTOR	<u>0.99988969</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>333.351</u>	ELEVATION (z) US feet	<u>1093.67</u>


STATION REFERENCES




WAYNE COUNTY

STATION NAME	<u>Y288</u>	TOWNSHIP	<u>CANNAN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>CRESTON</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 54' 55.67453"</u>	LONGITUDE (W)	<u>81° 56' 11.65504"</u>
NORTH (y) meters	<u>138,827.093</u>	EAST (x) meters	<u>647,461.678</u>
NORTH (y) US feet	<u>455,468.55</u>	EAST (x) US feet	<u>2,124,213.86</u>
CONVERGENCE	<u>00° 22' 12.52"</u>	COMBINED FACTOR	<u>0.99988764</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>350.620</u>	ELEVATION (z) US feet	<u>1150.33</u>

STATION REFERENCES



Chester Township



GPS Station - CHE1
GPS Station - CHE2
GPS Station - CHE3
GPS Station - CHE4
GPS Station - CHE5
GPS Station - CHE6


GPS Station - D243
GPS Station - P239
GPS Station - Q238
GPS Station - S238
GPS Station - S239
GPS Station - V238

[Return to Key Map](#)

WAYNE COUNTY

STATION NAME	<u>CHE1</u>	TOWNSHIP	<u>CHESTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>NEW PITTSBURG</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 49' 59.59703"</u>	LONGITUDE (W)	<u>82° 03' 31.43597"</u>
NORTH (y) meters	<u>129,635.150</u>	EAST (x) meters	<u>637,217.458</u>
NORTH (y) US feet	<u>425,311.32</u>	EAST (x) US feet	<u>2,090,604.28</u>
CONVERGENCE	<u>00° 17' 23.61"</u>	COMBINED FACTOR	<u>0.99989345</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>344.249</u>	ELEVATION (z) US feet	<u>1129.42</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CHE2</u>	TOWNSHIP	<u>CHESTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>NEW PITTSBURG</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 51' 42.85615"</u>	LONGITUDE (W)	<u>82° 02' 43.48606"</u>
NORTH (y) meters	<u>132,825.991</u>	EAST (x) meters	<u>638,324.234</u>
NORTH (y) US feet	<u>435,779.94</u>	EAST (x) US feet	<u>2,094,235.42</u>
CONVERGENCE	<u>00° 17' 55.11"</u>	COMBINED FACTOR	<u>0.99988839</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>364.329</u>	ELEVATION (z) US feet	<u>1195.30</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CHE3</u>	TOWNSHIP	<u>CHESTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 53' 13.62094"</u>	LONGITUDE (W)	<u>82° 03' 10.57513"</u>
NORTH (y) meters	<u>135,622.399</u>	EAST (x) meters	<u>637,675.511</u>
NORTH (y) US feet	<u>444,954.49</u>	EAST (x) US feet	<u>2,092,107.07</u>
CONVERGENCE	<u>00° 17' 37.31"</u>	COMBINED FACTOR	<u>0.99988708</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>363.294</u>	ELEVATION (z) US feet	<u>1191.91</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CHE4</u>	TOWNSHIP	<u>CHESTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 53' 10.17723"</u>	LONGITUDE (W)	<u>82° 07' 30.74020"</u>
NORTH (y) meters	<u>135,487.480</u>	EAST (x) meters	<u>631,585.726</u>
NORTH (y) US feet	<u>444,511.84</u>	EAST (x) US feet	<u>2,072,127.50</u>
CONVERGENCE	<u>00° 14' 46.40"</u>	COMBINED FACTOR	<u>0.99989198</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>332.381</u>	ELEVATION (z) US feet	<u>1090.49</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CHE5</u>	TOWNSHIP	<u>CHESTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>JEROMESVILLE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 50' 03.01765"</u>	LONGITUDE (W)	<u>82° 07' 34.08521"</u>
NORTH (y) meters	<u>129,714.095</u>	EAST (x) meters	<u>631,532.169</u>
NORTH (y) US feet	<u>425,570.33</u>	EAST (x) US feet	<u>2,071,951.79</u>
CONVERGENCE	<u>00° 14' 44.20"</u>	COMBINED FACTOR	<u>0.99989801</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>314.800</u>	ELEVATION (z) US feet	<u>1032.81</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CHE6</u>	TOWNSHIP	<u>CHESTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>NEW PITTSBURG</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 50' 12.72439"</u>	LONGITUDE (W)	<u>82° 01' 03.13299"</u>
NORTH (y) meters	<u>130,058.468</u>	EAST (x) meters	<u>640,689.680</u>
NORTH (y) US feet	<u>426,700.16</u>	EAST (x) US feet	<u>2,101,996.06</u>
CONVERGENCE	<u>00° 19' 01.04"</u>	COMBINED FACTOR	<u>0.99989359</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>341.768</u>	ELEVATION (z) US feet	<u>1121.28</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>D243</u>	TOWNSHIP	<u>CHESTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>JEROMESVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 51' 29.64441"</u>	LONGITUDE (W)	<u>82° 07' 32.11832"</u>
NORTH (y) meters	<u>132,386.342</u>	EAST (x) meters	<u>631,566.777</u>
NORTH (y) US feet	<u>434,337.53</u>	EAST (x) US feet	<u>2,072,065.34</u>
CONVERGENCE	<u>00° 14' 45.49"</u>	COMBINED FACTOR	<u>0.99989127</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>347.432</u>	ELEVATION (z) US feet	<u>1139.87</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>P239</u>	TOWNSHIP	<u>CHESTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>NEW PITTSBURG</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 52' 21.40031"</u>	LONGITUDE (W)	<u>82° 02' 08.72988"</u>
NORTH (y) meters	<u>134,019.191</u>	EAST (x) meters	<u>639,131.826</u>
NORTH (y) US feet	<u>439,694.63</u>	EAST (x) US feet	<u>2,096,885.00</u>
CONVERGENCE	<u>00° 18' 17.94"</u>	COMBINED FACTOR	<u>0.99989187</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>338.035</u>	ELEVATION (z) US feet	<u>1109.04</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>Q238</u>	TOWNSHIP	<u>CHESTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 54' 02.81607"</u>	LONGITUDE (W)	<u>82° 06' 31.29315"</u>
NORTH (y) meters	<u>137,117.274</u>	EAST (x) meters	<u>632,970.068</u>
NORTH (y) US feet	<u>449,858.92</u>	EAST (x) US feet	<u>2,076,669.30</u>
CONVERGENCE	<u>00° 15' 25.45"</u>	COMBINED FACTOR	<u>0.99988951</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>343.193</u>	ELEVATION (z) US feet	<u>1125.96</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>S238</u>	TOWNSHIP	<u>CHESTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 52' 42.46689"</u>	LONGITUDE (W)	<u>82° 06' 29.36076"</u>
NORTH (y) meters	<u>134,639.052</u>	EAST (x) meters	<u>633,026.429</u>
NORTH (y) US feet	<u>441,728.29</u>	EAST (x) US feet	<u>2,076,854.21</u>
CONVERGENCE	<u>00° 15' 26.72"</u>	COMBINED FACTOR	<u>0.99988927</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>352.418</u>	ELEVATION (z) US feet	<u>1156.22</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>S239</u>	TOWNSHIP	<u>CHESTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>NEW PITTSBURG</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 51' 48.94142"</u>	LONGITUDE (W)	<u>82° 00' 37.01841"</u>
NORTH (y) meters	<u>133,029.727</u>	EAST (x) meters	<u>641,284.797</u>
NORTH (y) US feet	<u>436,448.36</u>	EAST (x) US feet	<u>2,103,948.54</u>
CONVERGENCE	<u>00° 19' 18.19"</u>	COMBINED FACTOR	<u>0.99990319</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>269.364</u>	ELEVATION (z) US feet	<u>883.74</u>


STATION REFERENCES




WAYNE COUNTY

STATION NAME	<u>V238</u>	TOWNSHIP	<u>CHESTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>NEW PITTSBURG</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 51' 09.23991"</u>	LONGITUDE (W)	<u>82° 06' 07.44007"</u>
NORTH (y) meters	<u>131,765.736</u>	EAST (x) meters	<u>633,552.762</u>
NORTH (y) US feet	<u>432,301.42</u>	EAST (x) US feet	<u>2,078,581.02</u>
CONVERGENCE	<u>00° 15' 41.12"</u>	COMBINED FACTOR	<u>0.99989222</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>343.701</u>	ELEVATION (z) US feet	<u>1127.63</u>

STATION REFERENCES



Chippewa Township



GPS Station - CHI1
GPS Station - CHI2
GPS Station - CHI3
GPS Station - CHI4
GPS Station - CHI5
GPS Station - CHI7
GPS Station - CHI8
GPS Station - CHI9


GPS Station - CHI10
GPS Station - CHI11
GPS Station - F280
GPS Station - N177
GPS Station - RICK
GPS Station - RITCHIE
GPS Station - SC237

[Return to Key Map](#)

WAYNE COUNTY

STATION NAME	<u>CHI1</u>	TOWNSHIP	<u>CHIPPEWA</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 59' 17.28715"</u>	LONGITUDE (W)	<u>81° 43' 47.48362"</u>
NORTH (y) meters	<u>147,029.671</u>	EAST (x) meters	<u>664,803.055</u>
NORTH (y) US feet	<u>482,379.84</u>	EAST (x) US feet	<u>2,181,108.02</u>
CONVERGENCE	<u>00° 30' 21.41"</u>	COMBINED FACTOR	<u>0.99989026</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>317.631</u>	ELEVATION (z) US feet	<u>1042.09</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CHI2</u>	TOWNSHIP	<u>CHIPPEWA</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 58' 08.42501"</u>	LONGITUDE (W)	<u>81° 42' 31.15021"</u>
NORTH (y) meters	<u>144,921.584</u>	EAST (x) meters	<u>666,606.449</u>
NORTH (y) US feet	<u>475,463.56</u>	EAST (x) US feet	<u>2,187,024.66</u>
CONVERGENCE	<u>00° 31' 11.55"</u>	COMBINED FACTOR	<u>0.99988549</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>351.338</u>	ELEVATION (z) US feet	<u>1152.68</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CHI3</u>	TOWNSHIP	<u>CHIPPEWA</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 59' 20.20750"</u>	LONGITUDE (W)	<u>81° 40' 43.88967"</u>
NORTH (y) meters	<u>147,158.897</u>	EAST (x) meters	<u>669,093.293</u>
NORTH (y) US feet	<u>482,803.81</u>	EAST (x) US feet	<u>2,195,183.58</u>
CONVERGENCE	<u>00° 32' 22.02"</u>	COMBINED FACTOR	<u>0.99988705</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>337.948</u>	ELEVATION (z) US feet	<u>1108.75</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CHI4</u>	TOWNSHIP	<u>CHIPPEWA</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 58' 42.62715"</u>	LONGITUDE (W)	<u>81° 45' 41.89256"</u>
NORTH (y) meters	<u>145,937.447</u>	EAST (x) meters	<u>662,138.048</u>
NORTH (y) US feet	<u>478,796.44</u>	EAST (x) US feet	<u>2,172,364.58</u>
CONVERGENCE	<u>00° 29' 06.24"</u>	COMBINED FACTOR	<u>0.99989289</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>302.421</u>	ELEVATION (z) US feet	<u>992.19</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CHI5</u>	TOWNSHIP	<u>CHIPPEWA</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 59' 17.97632"</u>	LONGITUDE (W)	<u>81° 38' 51.86992"</u>
NORTH (y) meters	<u>147,115.194</u>	EAST (x) meters	<u>671,712.126</u>
NORTH (y) US feet	<u>482,660.43</u>	EAST (x) US feet	<u>2,203,775.53</u>
CONVERGENCE	<u>00° 33' 35.61"</u>	COMBINED FACTOR	<u>0.99988702</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>338.254</u>	ELEVATION (z) US feet	<u>1109.75</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CHI7</u>	TOWNSHIP	<u>CHIPPEWA</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 54' 47.80275"</u>	LONGITUDE (W)	<u>81° 44' 01.29933"</u>
NORTH (y) meters	<u>138,714.569</u>	EAST (x) meters	<u>664,553.180</u>
NORTH (y) US feet	<u>455,099.38</u>	EAST (x) US feet	<u>2,180,288.22</u>
CONVERGENCE	<u>00° 30' 12.33"</u>	COMBINED FACTOR	<u>0.99989354</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>313.671</u>	ELEVATION (z) US feet	<u>1029.10</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CH18</u>	TOWNSHIP	<u>CHIPPEWA</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 56' 23.06377"</u>	LONGITUDE (W)	<u>81° 44' 36.53585"</u>
NORTH (y) meters	<u>141,645.694</u>	EAST (x) meters	<u>663,703.183</u>
NORTH (y) US feet	<u>464,715.91</u>	EAST (x) US feet	<u>2,177,499.53</u>
CONVERGENCE	<u>00° 29' 49.18"</u>	COMBINED FACTOR	<u>0.99989358</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>306.150</u>	ELEVATION (z) US feet	<u>1004.43</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CHI9</u>	TOWNSHIP	<u>CHIPPEWA</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 54' 27.66347"</u>	LONGITUDE (W)	<u>81° 38' 51.40644"</u>
NORTH (y) meters	<u>138,160.674</u>	EAST (x) meters	<u>671,810.479</u>
NORTH (y) US feet	<u>453,282.14</u>	EAST (x) US feet	<u>2,204,098.21</u>
CONVERGENCE	<u>00° 33' 35.91"</u>	COMBINED FACTOR	<u>0.99989385</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>313.335</u>	ELEVATION (z) US feet	<u>1028.00</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CHI10</u>	TOWNSHIP	<u>CHIPPEWA</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 55' 58.14136"</u>	LONGITUDE (W)	<u>81° 41' 05.96155"</u>
NORTH (y) meters	<u>140,921.342</u>	EAST (x) meters	<u>668,635.667</u>
NORTH (y) US feet	<u>462,339.44</u>	EAST (x) US feet	<u>2,193,682.18</u>
CONVERGENCE	<u>00° 32' 07.52"</u>	COMBINED FACTOR	<u>0.99989635</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>290.25</u>	ELEVATION (z) US feet	<u>952.26</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CHI11</u>	TOWNSHIP	<u>CHIPPEWA</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 58' 01.83501"</u>	LONGITUDE (W)	<u>81° 45' 44.94066"</u>
NORTH (y) meters	<u>144,678.602</u>	EAST (x) meters	<u>662,077.436</u>
NORTH (y) US feet	<u>474,666.38</u>	EAST (x) US feet	<u>2,172,165.72</u>
CONVERGENCE	<u>00° 29' 04.24"</u>	COMBINED FACTOR	<u>0.99989362</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>299.844</u>	ELEVATION (z) US feet	<u>983.74</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>F280</u>	TOWNSHIP	<u>CHIPPEWA</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 54' 08.37502"</u>	LONGITUDE (W)	<u>81° 45' 45.93498"</u>
NORTH (y) meters	<u>137,477.317</u>	EAST (x) meters	<u>662,115.062</u>
NORTH (y) US feet	<u>451,040.16</u>	EAST (x) US feet	<u>2,172,289.16</u>
CONVERGENCE	<u>00° 29' 03.59"</u>	COMBINED FACTOR	<u>0.99989272</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>322.262</u>	ELEVATION (z) US feet	<u>1057.29</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>N177</u>	TOWNSHIP	<u>CHIPPEWA</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 56' 43.03737"</u>	LONGITUDE (W)	<u>81° 43' 01.98939"</u>
NORTH (y) meters	<u>142,281.294</u>	EAST (x) meters	<u>665,909.084</u>
NORTH (y) US feet	<u>466,801.21</u>	EAST (x) US feet	<u>2,184,736.72</u>
CONVERGENCE	<u>00° 30' 51.29"</u>	COMBINED FACTOR	<u>0.99989559</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>292.011</u>	ELEVATION (z) US feet	<u>958.04</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>RICK</u>	TOWNSHIP	<u>SUMMIT COUNTY</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 59' 28.77329"</u>	LONGITUDE (W)	<u>81° 39' 51.44064"</u>
NORTH (y) meters	<u>147,434.753</u>	EAST (x) meters	<u>670,316.618</u>
NORTH (y) US feet	<u>483,708.85</u>	EAST (x) US feet	<u>2,199,197.10</u>
CONVERGENCE	<u>00° 32' 56.47"</u>	COMBINED FACTOR	<u>0.99988460</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>353.216</u>	ELEVATION (z) US feet	<u>1158.84</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>RITCHIE</u>	TOWNSHIP	<u>SUMMIT CO.</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 57' 48.81118"</u>	LONGITUDE (W)	<u>81° 38' 42.01390"</u>
NORTH (y) meters	<u>144,367.163</u>	EAST (x) meters	<u>671,969.449</u>
NORTH (y) US feet	<u>473,644.60</u>	EAST (x) US feet	<u>2,204,619.77</u>
CONVERGENCE	<u>00° 33' 42.08"</u>	COMBINED FACTOR	<u>0.99988491</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>356.116</u>	ELEVATION (z) US feet	<u>1168.36</u>


STATION REFERENCES




WAYNE COUNTY

STATION NAME	<u>SC237</u>	TOWNSHIP	<u>CHIPPEWA</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>DOYLESTOWN</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 56' 35.19890"</u>	LONGITUDE (W)	<u>81° 38' 51.65303"</u>
NORTH (y) meters	<u>142,094.403</u>	EAST (x) meters	<u>671,766.264</u>
NORTH (y) US feet	<u>466,188.05</u>	EAST (x) US feet	<u>2,203,953.15</u>
CONVERGENCE	<u>00° 33' 35.75"</u>	COMBINED FACTOR	<u>0.99988660</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>349.807</u>	ELEVATION (z) US feet	<u>1147.66</u>

STATION REFERENCES



Clinton Township



GPS Station - B262
GPS Station - CLI1
GPS Station - CLI2
GPS Station - CLI3
GPS Station - CLI4


GPS Station - CLI5
GPS Station - CLI6
GPS Station - D262
GPS Station - Q257
GPS Station - SHREVE
GPS Station - SHREVERM2

[Return to Key Map](#)

WAYNE COUNTY

STATION NAME	<u>B262</u>	TOWNSHIP	<u>CLINTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>SHREVE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 40' 05.76938"</u>	LONGITUDE (W)	<u>82° 02' 26.67094"</u>
NORTH (y) meters	<u>111,326.284</u>	EAST (x) meters	<u>638,831.236</u>
NORTH (y) US feet	<u>365,242.98</u>	EAST (x) US feet	<u>2,095,898.81</u>
CONVERGENCE	<u>00° 18' 06.16"</u>	COMBINED FACTOR	<u>0.99991595</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>301.731</u>	ELEVATION (z) US feet	<u>989.93</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CL11</u>	TOWNSHIP	<u>CLINTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>HOLMESVILLE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 43' 20.35642"</u>	LONGITUDE (W)	<u>81° 59' 55.66275"</u>
NORTH (y) meters	<u>117,347.837</u>	EAST (x) meters	<u>642,343.390</u>
NORTH (y) US feet	<u>384,998.70</u>	EAST (x) US feet	<u>2,107,421.60</u>
CONVERGENCE	<u>00° 19' 45.36"</u>	COMBINED FACTOR	<u>0.99991636</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>260.276</u>	ELEVATION (z) US feet	<u>853.92</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CL12</u>	TOWNSHIP	<u>CLINTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>SHREVE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 41' 51.14785"</u>	LONGITUDE (W)	<u>82° 03' 46.54107"</u>
NORTH (y) meters	<u>114,567.047</u>	EAST (x) meters	<u>636,939.078</u>
NORTH (y) US feet	<u>375,875.39</u>	EAST (x) US feet	<u>2,089,690.96</u>
CONVERGENCE	<u>00° 17' 13.68"</u>	COMBINED FACTOR	<u>0.99991432</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>290.400</u>	ELEVATION (z) US feet	<u>952.75</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CL13</u>	TOWNSHIP	<u>CLINTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>SHREVE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 43' 29.10151"</u>	LONGITUDE (W)	<u>82° 07' 33.96143"</u>
NORTH (y) meters	<u>117,563.623</u>	EAST (x) meters	<u>631,587.159</u>
NORTH (y) US feet	<u>385,706.65</u>	EAST (x) US feet	<u>2,072,132.20</u>
CONVERGENCE	<u>00° 14' 44.28"</u>	COMBINED FACTOR	<u>0.99989941</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>366.740</u>	ELEVATION (z) US feet	<u>1203.21</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CLI4</u>	TOWNSHIP	<u>CLINTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>SHREVE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 41' 51.06645"</u>	LONGITUDE (W)	<u>82° 07' 15.58773"</u>
NORTH (y) meters	<u>114,541.575</u>	EAST (x) meters	<u>632,031.469</u>
NORTH (y) US feet	<u>375,791.82</u>	EAST (x) US feet	<u>2,073,589.91</u>
CONVERGENCE	<u>00° 14' 56.35"</u>	COMBINED FACTOR	<u>0.99990545</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>346.960</u>	ELEVATION (z) US feet	<u>1138.32</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CL15</u>	TOWNSHIP	<u>CLINTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>LOUDONVILLE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 40' 49.41958"</u>	LONGITUDE (W)	<u>82° 07' 46.35526"</u>
NORTH (y) meters	<u>112,636.964</u>	EAST (x) meters	<u>631,317.240</u>
NORTH (y) US feet	<u>369,543.11</u>	EAST (x) US feet	<u>2,071,246.64</u>
CONVERGENCE	<u>00° 14' 36.14"</u>	COMBINED FACTOR	<u>0.99991091</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>324.633</u>	ELEVATION (z) US feet	<u>1065.07</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CL16</u>	TOWNSHIP	<u>CLINTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>SHREVE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 40' 05.83497"</u>	LONGITUDE (W)	<u>82° 05' 10.89243"</u>
NORTH (y) meters	<u>111,309.005</u>	EAST (x) meters	<u>634,974.237</u>
NORTH (y) US feet	<u>365,186.29</u>	EAST (x) US feet	<u>2,083,244.64</u>
CONVERGENCE	<u>00° 16' 18.27"</u>	COMBINED FACTOR	<u>0.99991742</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>292.333</u>	ELEVATION (z) US feet	<u>959.10</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>D262</u>	TOWNSHIP	<u>CLINTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>SHREVE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 40' 59.71878"</u>	LONGITUDE (W)	<u>82° 01' 17.56486"</u>
NORTH (y) meters	<u>112,999.075</u>	EAST (x) meters	<u>640,445.165</u>
NORTH (y) US feet	<u>370,731.13</u>	EAST (x) US feet	<u>2,101,193.84</u>
CONVERGENCE	<u>00° 18' 51.55"</u>	COMBINED FACTOR	<u>0.99991782</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>278.481</u>	ELEVATION (z) US feet	<u>913.65</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>Q257</u>	TOWNSHIP	<u>CLINTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>SHREVE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 42' 29.08449"</u>	LONGITUDE (W)	<u>82° 05' 23.47883"</u>
NORTH (y) meters	<u>115,726.153</u>	EAST (x) meters	<u>634,657.847</u>
NORTH (y) US feet	<u>379,678.22</u>	EAST (x) US feet	<u>2,082,206.62</u>
CONVERGENCE	<u>00° 16' 10.00"</u>	COMBINED FACTOR	<u>0.99991133</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>302.042</u>	ELEVATION (z) US feet	<u>990.95</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>SHREVE</u>	TOWNSHIP	<u>CLINTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>SHREVE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 42' 18.60286"</u>	LONGITUDE (W)	<u>82° 02' 42.08617"</u>
NORTH (y) meters	<u>115,421.636</u>	EAST (x) meters	<u>638,447.812</u>
NORTH (y) US feet	<u>378,679.15</u>	EAST (x) US feet	<u>2,094,640.86</u>
CONVERGENCE	<u>00° 17' 56.03"</u>	COMBINED FACTOR	<u>0.99990283</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>358.227</u>	ELEVATION (z) US feet	<u>1175.28</u>


STATION REFERENCES




WAYNE COUNTY

STATION NAME	<u>SHREVERM2</u>	TOWNSHIP	<u>CLINTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>SHREVE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 42' 17.99431"</u>	LONGITUDE (W)	<u>82° 02' 42.33247"</u>
NORTH (y) meters	<u>115,402.835</u>	EAST (x) meters	<u>638,442.129</u>
NORTH (y) US feet	<u>378,617.47</u>	EAST (x) US feet	<u>2,094,622.22</u>
CONVERGENCE	<u>00° 17' 55.87"</u>	COMBINED FACTOR	<u>0.99990281</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>358.516</u>	ELEVATION (z) US feet	<u>1176.23</u>

STATION REFERENCES



Congress Township



GPS Station - B241
GPS Station - CON1
GPS Station - CON4
GPS Station - CON5
GPS Station - CON6
GPS Station - CON7
GPS Station - CON8
GPS Station - CON9
GPS Station - CON10
GPS Station - CON11


GPS Station - CON12
GPS Station - CONGRM2
GPS Station - G241
GPS Station - H238
GPS Station - M238
GPS Station - T239
GPS Station - U288
GPS Station - WEST
GPS Station - Z239

[Return to Key Map](#)

WAYNE COUNTY

STATION NAME	<u>B241</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 57' 35.35054"</u>	LONGITUDE (W)	<u>82° 01' 39.66246"</u>
NORTH (y) meters	<u>143,706.840</u>	EAST (x) meters	<u>639,759.971</u>
NORTH (y) US feet	<u>471,478.19</u>	EAST (x) US feet	<u>2,098,945.84</u>
CONVERGENCE	<u>00° 18' 37.04"</u>	COMBINED FACTOR	<u>0.99989769</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>275.404</u>	ELEVATION (z) US feet	<u>903.55</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CON1</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>CRESTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 58' 18.83569"</u>	LONGITUDE (W)	<u>81° 59' 46.22334"</u>
NORTH (y) meters	<u>145,063.018</u>	EAST (x) meters	<u>642,404.806</u>
NORTH (y) US feet	<u>475,927.59</u>	EAST (x) US feet	<u>2,107,623.10</u>
CONVERGENCE	<u>00° 19' 51.56"</u>	COMBINED FACTOR	<u>0.99988914</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>327.495</u>	ELEVATION (z) US feet	<u>1074.46</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CON4</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 59' 26.51071"</u>	LONGITUDE (W)	<u>82° 02' 10.32738"</u>
NORTH (y) meters	<u>147,131.828</u>	EAST (x) meters	<u>639,024.688</u>
NORTH (y) US feet	<u>482,715.01</u>	EAST (x) US feet	<u>2,096,533.50</u>
CONVERGENCE	<u>00° 18' 16.89"</u>	COMBINED FACTOR	<u>0.99989443</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>290.681</u>	ELEVATION (z) US feet	<u>953.68</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CON5</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 59' 30.16038"</u>	LONGITUDE (W)	<u>82° 07' 27.93209"</u>
NORTH (y) meters	<u>147,208.685</u>	EAST (x) meters	<u>631,600.988</u>
NORTH (y) US feet	<u>482,967.16</u>	EAST (x) US feet	<u>2,072,177.58</u>
CONVERGENCE	<u>00° 14' 48.24"</u>	COMBINED FACTOR	<u>0.99988520</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>349.314</u>	ELEVATION (z) US feet	<u>1146.04</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CON6</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 58' 04.55829"</u>	LONGITUDE (W)	<u>82° 07' 39.90691"</u>
NORTH (y) meters	<u>144,566.996</u>	EAST (x) meters	<u>631,332.381</u>
NORTH (y) US feet	<u>474,300.22</u>	EAST (x) US feet	<u>2,071,296.32</u>
CONVERGENCE	<u>00° 14' 40.37"</u>	COMBINED FACTOR	<u>0.99988811</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>334.813</u>	ELEVATION (z) US feet	<u>1098.47</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CON7</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 56' 27.41514"</u>	LONGITUDE (W)	<u>82° 07' 41.13062"</u>
NORTH (y) meters	<u>141,570.400</u>	EAST (x) meters	<u>631,316.547</u>
NORTH (y) US feet	<u>464,468.89</u>	EAST (x) US feet	<u>2,071,244.37</u>
CONVERGENCE	<u>00° 14' 39.57"</u>	COMBINED FACTOR	<u>0.99988876</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>336.61</u>	ELEVATION (z) US feet	<u>1104.36</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CON8</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 54' 55.37156"</u>	LONGITUDE (W)	<u>82° 07' 42.05650"</u>
NORTH (y) meters	<u>138,731.144</u>	EAST (x) meters	<u>631,306.990</u>
NORTH (y) US feet	<u>455,153.76</u>	EAST (x) US feet	<u>2,071,213.01</u>
CONVERGENCE	<u>00° 14' 38.96"</u>	COMBINED FACTOR	<u>0.99989400</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>310.113</u>	ELEVATION (z) US feet	<u>1017.43</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CON9</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 56' 22.95943"</u>	LONGITUDE (W)	<u>82° 03' 27.93685</u>
NORTH (y) meters	<u>141,460.602</u>	EAST (x) meters	<u>637,239.474</u>
NORTH (y) US feet	<u>464,108.66</u>	EAST (x) US feet	<u>2,090,676.51</u>
CONVERGENCE	<u>00° 17' 25.91"</u>	COMBINED FACTOR	<u>0.99988500</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>360.846</u>	ELEVATION (z) US feet	<u>1183.88</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CON10</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 58' 12.87725"</u>	LONGITUDE (W)	<u>82° 03' 13.74436"</u>
NORTH (y) meters	<u>144,852.801</u>	EAST (x) meters	<u>637,554.098</u>
NORTH (y) US feet	<u>475,237.90</u>	EAST (x) US feet	<u>2,091,708.74</u>
CONVERGENCE	<u>00° 17' 35.23"</u>	COMBINED FACTOR	<u>0.99988747</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>338.474</u>	ELEVATION (z) US feet	<u>1110.48</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CON11</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 54' 55.66156"</u>	LONGITUDE (W)	<u>82° 03' 06.41356"</u>
NORTH (y) meters	<u>138,770.406</u>	EAST (x) meters	<u>637,756.753</u>
NORTH (y) US feet	<u>455,282.57</u>	EAST (x) US feet	<u>2,092,373.62</u>
CONVERGENCE	<u>00° 17' 40.05"</u>	COMBINED FACTOR	<u>0.99988657</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>357.427</u>	ELEVATION (z) US feet	<u>1172.66</u>



STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CON12</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 59' 11.26173"</u>	LONGITUDE (W)	<u>82° 04' 43.69675"</u>
NORTH (y) meters	<u>146,643.270</u>	EAST (x) meters	<u>635,442.339</u>
NORTH (y) US feet	<u>481,112.13</u>	EAST (x) US feet	<u>2,084,780.41</u>
CONVERGENCE	<u>00° 16' 36.14"</u>	COMBINED FACTOR	<u>0.99988884</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>326.916</u>	ELEVATION (z) US feet	<u>1072.56</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>CONGRESS RM 2</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 56' 16.53035"</u>	LONGITUDE (W)	<u>82° 04' 05.29534"</u>
NORTH (y) meters	<u>141,257.913</u>	EAST (x) meters	<u>636,366.622</u>
NORTH (y) US feet	<u>463,443.67</u>	EAST (x) US feet	<u>2,087,812.83</u>
CONVERGENCE	<u>00° 17' 01.36"</u>	COMBINED FACTOR	<u>0.99988339</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>371.534</u>	ELEVATION (z) US feet	<u>1218.94</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>G241</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 55' 16.04855"</u>	LONGITUDE (W)	<u>82° 05' 26.68010"</u>
NORTH (y) meters	<u>139,383.123</u>	EAST (x) meters	<u>634,471.692</u>
NORTH (y) US feet	<u>457,292.80</u>	EAST (x) US feet	<u>2,081,595.88</u>
CONVERGENCE	<u>00° 16' 07.90"</u>	COMBINED FACTOR	<u>0.99988675</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>354.613</u>	ELEVATION (z) US feet	<u>1163.43</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>H238</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 59' 29.57724"</u>	LONGITUDE (W)	<u>82° 06' 36.39592"</u>
NORTH (y) meters	<u>147,195.983</u>	EAST (x) meters	<u>632,805.582</u>
NORTH (y) US feet	<u>482,925.49</u>	EAST (x) US feet	<u>2,076,129.65</u>
CONVERGENCE	<u>00° 15' 22.10"</u>	COMBINED FACTOR	<u>0.99988528</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>348.832</u>	ELEVATION (z) US feet	<u>1144.46</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>M238</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40 56' 06.04975"</u>	LONGITUDE (W)	<u>82 06' 33.40227"</u>
NORTH (y) meters	<u>140,918.292</u>	EAST (x) meters	<u>632,903.675</u>
NORTH (y) US feet	<u>462,329.43</u>	EAST (x) US feet	<u>2,076,451.48</u>
CONVERGENCE	<u>00° 15' 24.06"</u>	COMBINED FACTOR	<u>0.99988830</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>341.010</u>	ELEVATION (z) US feet	<u>1118.80</u>

STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>T239</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 56' 17.43257"</u>	LONGITUDE (W)	<u>82° 01' 00.62555"</u>
NORTH (y) meters	<u>141,308.402</u>	EAST (x) meters	<u>640,686.099</u>
NORTH (y) US feet	<u>463,609.32</u>	EAST (x) US feet	<u>2,101,984.31</u>
CONVERGENCE	<u>00° 19' 02.68"</u>	COMBINED FACTOR	<u>0.99989851</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>275.141</u>	ELEVATION (z) US feet	<u>902.69</u>


STATION REFERENCES

Monument Destroyed after GPS. Bridge replaced. ODOT replaced disk with their own stamped "ODOT DIST 03"
NAVD88 Elevation: 902.91'. No horizontal datum known.

WAYNE COUNTY

STATION NAME	<u>U288</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 54' 42.61087"</u>	LONGITUDE (W)	<u>82° 00' 03.79989"</u>
NORTH (y) meters	<u>138,391.053</u>	EAST (x) meters	<u>642,032.040</u>
NORTH (y) US feet	<u>454,037.98</u>	EAST (x) US feet	<u>2,106,400.12</u>
CONVERGENCE	<u>00° 19' 40.01"</u>	COMBINED FACTOR	<u>0.99989049</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>333.483</u>	ELEVATION (z) US feet	<u>1094.10</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>WEST</u>	TOWNSHIP	<u>MEDINA CO.</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 59' 46.94864"</u>	LONGITUDE (W)	<u>82° 06' 44.18207"</u>
NORTH (y) meters	<u>147,731.012</u>	EAST (x) meters	<u>632,621.220</u>
NORTH (y) US feet	<u>484,680.83</u>	EAST (x) US feet	<u>2,075,524.78</u>
CONVERGENCE	<u>00° 15' 16.98"</u>	COMBINED FACTOR	<u>0.99988423</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>354.847</u>	ELEVATION (z) US feet	<u>1164.19</u>


STATION REFERENCES




WAYNE COUNTY

STATION NAME	<u>Z239</u>	TOWNSHIP	<u>CONGRESS</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WEST SALEM</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 58' 00.76500"</u>	LONGITUDE (W)	<u>82° 06' 58.95276"</u>
NORTH (y) meters	<u>144,454.138</u>	EAST (x) meters	<u>632,290.428</u>
NORTH (y) US feet	<u>473,929.95</u>	EAST (x) US feet	<u>2,074,439.51</u>
CONVERGENCE	<u>00° 15' 07.28"</u>	COMBINED FACTOR	<u>0.99988861</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>331.829</u>	ELEVATION (z) US feet	<u>1088.68</u>

STATION REFERENCES



East Union Township



GPS Station - EAS1
GPS Station - EAS2
GPS Station - EAS3
GPS Station - EAS4
GPS Station - F287


GPS Station - HODGE
GPS Station - P280
GPS Station - Q280
GPS Station - SUGARRM2

[Return to Key Map](#)

WAYNE COUNTY

STATION NAME	<u>EAS1</u>	TOWNSHIP	<u>EAST UNION</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>ORRVILLE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 46' 37.73667"</u>	LONGITUDE (W)	<u>81° 52' 36.00346"</u>
NORTH (y) meters	<u>123,502.504</u>	EAST (x) meters	<u>652,617.448</u>
NORTH (y) US feet	<u>405,191.13</u>	EAST (x) US feet	<u>2,141,129.08</u>
CONVERGENCE	<u>00° 24' 34.19"</u>	COMBINED FACTOR	<u>0.99990383</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>306.555</u>	ELEVATION (z) US feet	<u>1005.76</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>EAS2</u>	TOWNSHIP	<u>EAST UNION</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>ORRVILLE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 48' 24.74309"</u>	LONGITUDE (W)	<u>81° 48' 13.68024"</u>
NORTH (y) meters	<u>126,849.615</u>	EAST (x) meters	<u>658,741.956</u>
NORTH (y) US feet	<u>416,172.44</u>	EAST (x) US feet	<u>2,161,222.57</u>
CONVERGENCE	<u>00° 27' 26.53"</u>	COMBINED FACTOR	<u>0.99989888</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>322.280</u>	ELEVATION (z) US feet	<u>1057.35</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>EAS3</u>	TOWNSHIP	<u>EAST UNION</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>ORRVILLE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 46' 39.75250"</u>	LONGITUDE (W)	<u>81° 48' 24.20430"</u>
NORTH (y) meters	<u>123,609.247</u>	EAST (x) meters	<u>658,521.046</u>
NORTH (y) US feet	<u>405,541.34</u>	EAST (x) US feet	<u>2,160,497.80</u>
CONVERGENCE	<u>00° 27' 19.61"</u>	COMBINED FACTOR	<u>0.99989824</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>341.817</u>	ELEVATION (z) US feet	<u>1121.44</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>EAS4</u>	TOWNSHIP	<u>EAST UNION</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>FREDERICKSBURG</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 44' 56.45335"</u>	LONGITUDE (W)	<u>81° 50' 06.64368"</u>
NORTH (y) meters	<u>120,404.314</u>	EAST (x) meters	<u>656,143.399</u>
NORTH (y) US feet	<u>395,026.49</u>	EAST (x) US feet	<u>2,152,697.14</u>
CONVERGENCE	<u>00° 26' 12.32"</u>	COMBINED FACTOR	<u>0.99990535</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>313.363</u>	ELEVATION (z) US feet	<u>1028.09</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>F287</u>	TOWNSHIP	<u>EAST UNION</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>ORRVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 45' 19.89046"</u>	LONGITUDE (W)	<u>81° 50' 51.00962"</u>
NORTH (y) meters	<u>121,119.365</u>	EAST (x) meters	<u>655,097.273</u>
NORTH (y) US feet	<u>397,372.45</u>	EAST (x) US feet	<u>2,149,264.97</u>
CONVERGENCE	<u>00° 25' 43.17"</u>	COMBINED FACTOR	<u>0.99990601</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>305.224</u>	ELEVATION (z) US feet	<u>1001.39</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>HODGE</u>	TOWNSHIP	<u>EAST UNION</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>ORRVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 47' 59.82581"</u>	LONGITUDE (W)	<u>81° 51' 31.06528"</u>
NORTH (y) meters	<u>126,045.570</u>	EAST (x) meters	<u>654,121.477</u>
NORTH (y) US feet	<u>413,534.51</u>	EAST (x) US feet	<u>2,146,063.54</u>
CONVERGENCE	<u>00° 25' 16.86"</u>	COMBINED FACTOR	<u>0.99989234</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>367.473</u>	ELEVATION (z) US feet	<u>1205.62</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>P280</u>	TOWNSHIP	<u>EAST UNION</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>FREDERICKBURG</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 45' 09.84781"</u>	LONGITUDE (W)	<u>81° 48' 02.19565"</u>
NORTH (y) meters	<u>120,840.293</u>	EAST (x) meters	<u>659,059.329</u>
NORTH (y) US feet	<u>396,456.86</u>	EAST (x) US feet	<u>2,162,263.82</u>
CONVERGENCE	<u>00° 27' 34.07"</u>	COMBINED FACTOR	<u>0.99990078</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>340.228</u>	ELEVATION (z) US feet	<u>1116.23</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>Q280</u>	TOWNSHIP	<u>EAST UNION</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>ORRVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 46' 05.32041"</u>	LONGITUDE (W)	<u>81° 47' 32.85340"</u>
NORTH (y) meters	<u>122,556.873</u>	EAST (x) meters	<u>659,733.705</u>
NORTH (y) US feet	<u>402,088.67</u>	EAST (x) US feet	<u>2,164,476.33</u>
CONVERGENCE	<u>00° 27' 53.35"</u>	COMBINED FACTOR	<u>0.99989652</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>358.252</u>	ELEVATION (z) US feet	<u>1175.37</u>


STATION REFERENCES




WAYNE COUNTY

STATION NAME	<u>SUGARRM2</u>	TOWNSHIP	<u>EAST UNION</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>ORRVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 47' 40.20518"</u>	LONGITUDE (W)	<u>81° 47' 33.93229"</u>
NORTH (y) meters	<u>125,483.353</u>	EAST (x) meters	<u>659,684.670</u>
NORTH (y) US feet	<u>411,689.97</u>	EAST (x) US feet	<u>2,164,315.46</u>
CONVERGENCE	<u>00° 27' 52.64"</u>	COMBINED FACTOR	<u>0.99989791</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>334.807</u>	ELEVATION (z) US feet	<u>1098.45</u>

STATION REFERENCES



Franklin Township



- GPS Station - FRA1
- GPS Station - FRA2
- GPS Station - FRA3
- GPS Station - J258
- GPS Station - M258


- GPS Station - P275
- GPS Station - S277
- GPS Station - SAVAGE
- GPS Station - SCHNELL

[Return to Key Map](#)

WAYNE COUNTY

STATION NAME	<u>FRA1</u>	TOWNSHIP	<u>FRANKLIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>HOLMESVILLE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 41' 14.95741"</u>	LONGITUDE (W)	<u>81° 52' 37.96912"</u>
NORTH (y) meters	<u>113,546.134</u>	EAST (x) meters	<u>652,642.453</u>
NORTH (y) US feet	<u>372,525.94</u>	EAST (x) US feet	<u>2,141,211.12</u>
CONVERGENCE	<u>00° 24' 32.90"</u>	COMBINED FACTOR	<u>0.99990709</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>343.724</u>	ELEVATION (z) US feet	<u>1127.70</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>FRA2</u>	TOWNSHIP	<u>FRANKLIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>HOLMESVILLE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 43' 12.82006"</u>	LONGITUDE (W)	<u>81° 52' 37.42975"</u>
NORTH (y) meters	<u>117,181.659</u>	EAST (x) meters	<u>652,629.151</u>
NORTH (y) US feet	<u>384,453.49</u>	EAST (x) US feet	<u>2,141,167.47</u>
CONVERGENCE	<u>00° 24' 33.26"</u>	COMBINED FACTOR	<u>0.99990600</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>327.710</u>	ELEVATION (z) US feet	<u>1075.16</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>FRA3</u>	TOWNSHIP	<u>FRANKLIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>HOLMESVILLE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 44' 59.07901"</u>	LONGITUDE (W)	<u>81° 55' 45.82782"</u>
NORTH (y) meters	<u>120,428.949</u>	EAST (x) meters	<u>648,186.404</u>
NORTH (y) US feet	<u>395,107.31</u>	EAST (x) US feet	<u>2,126,591.56</u>
CONVERGENCE	<u>00° 22' 29.49"</u>	COMBINED FACTOR	<u>0.99990994</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>283.646</u>	ELEVATION (z) US feet	<u>930.60</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>J258</u>	TOWNSHIP	<u>FRANKLIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>HOLMESVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 41' 49.10685"</u>	LONGITUDE (W)	<u>81° 57' 04.10155"</u>
NORTH (y) meters	<u>114,557.494</u>	EAST (x) meters	<u>646,387.174</u>
NORTH (y) US feet	<u>375,844.05</u>	EAST (x) US feet	<u>2,120,688.59</u>
CONVERGENCE	<u>00° 21' 38.07"</u>	COMBINED FACTOR	<u>0.99990838</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>328.684</u>	ELEVATION (z) US feet	<u>1078.36</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>M258</u>	TOWNSHIP	<u>FRANKLIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>HOLMESVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 42' 59.95179"</u>	LONGITUDE (W)	<u>81° 58' 20.09428"</u>
NORTH (y) meters	<u>116,731.688</u>	EAST (x) meters	<u>644,589.930</u>
NORTH (y) US feet	<u>382,977.21</u>	EAST (x) US feet	<u>2,114,792.13</u>
CONVERGENCE	<u>00° 20' 48.14"</u>	COMBINED FACTOR	<u>0.99991293</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>285.995</u>	ELEVATION (z) US feet	<u>938.30</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>P275</u>	TOWNSHIP	<u>FRANKLIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>HOLMESVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 40' 02.41741"</u>	LONGITUDE (W)	<u>81° 56' 47.11058"</u>
NORTH (y) meters	<u>111,269.201</u>	EAST (x) meters	<u>646,806.945</u>
NORTH (y) US feet	<u>365,055.70</u>	EAST (x) US feet	<u>2,122,065.79</u>
CONVERGENCE	<u>00° 21' 49.23"</u>	COMBINED FACTOR	<u>0.99992214</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>263.011</u>	ELEVATION (z) US feet	<u>862.90</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>S277</u>	TOWNSHIP	<u>FRANKLIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>HOLMESVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 40' 27.12224"</u>	LONGITUDE (W)	<u>81° 53' 35.33343"</u>
NORTH (y) meters	<u>112,061.179</u>	EAST (x) meters	<u>651,305.839</u>
NORTH (y) US feet	<u>367,654.05</u>	EAST (x) US feet	<u>2,136,825.91</u>
CONVERGENCE	<u>00° 23' 55.22"</u>	COMBINED FACTOR	<u>0.99990459</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>369.587</u>	ELEVATION (z) US feet	<u>1212.55</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>SAVAGE</u>	TOWNSHIP	<u>FRANKLIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>HOLMESVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 43' 21.70017"</u>	LONGITUDE (W)	<u>81° 56' 38.91278"</u>
NORTH (y) meters	<u>117,417.266</u>	EAST (x) meters	<u>646,960.307</u>
NORTH (y) US feet	<u>385,226.48</u>	EAST (x) US feet	<u>2,122,568.94</u>
CONVERGENCE	<u>00° 21' 54.61"</u>	COMBINED FACTOR	<u>0.99990727</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>317.963</u>	ELEVATION (z) US feet	<u>1043.18</u>


STATION REFERENCES




WAYNE COUNTY

STATION NAME	<u>SCHNELL</u>	TOWNSHIP	<u>FRANKLIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>HOLMESVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 44' 53.35736"</u>	LONGITUDE (W)	<u>81° 52' 37.16469"</u>
NORTH (y) meters	<u>120,282.750</u>	EAST (x) meters	<u>652,613.219</u>
NORTH (y) US feet	<u>394,627.66</u>	EAST (x) US feet	<u>2,141,115.20</u>
CONVERGENCE	<u>00° 24' 33.43"</u>	COMBINED FACTOR	<u>0.99989951</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>351.138</u>	ELEVATION (z) US feet	<u>1152.03</u>

STATION REFERENCES



Green Township



GPS Station - BYLER
GPS Station - C288
GPS Station - GRE1
GPS Station - GRE2
GPS Station - GRE3


GPS Station - GRE4
GPS Station - GRE5
GPS Station - L288
GPS Station - Q288

[Return to Key Map](#)

WAYNE COUNTY

STATION NAME	<u>BYLER</u>	TOWNSHIP	<u>GREEN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 53' 06.38869</u>	LONGITUDE (W)	<u>81° 50' 02.97739"</u>
NORTH (y) meters	<u>135,516.953</u>	EAST (x) meters	<u>656,114.027</u>
NORTH (y) US feet	<u>444,608.54</u>	EAST (x) US feet	<u>2,152,600.77</u>
CONVERGENCE	<u>00° 26' 14.72"</u>	COMBINED FACTOR	<u>0.99988717</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>363.402</u>	ELEVATION (z) US feet	<u>1192.26</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>C288</u>	TOWNSHIP	<u>GREEN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 54' 06.84854"</u>	LONGITUDE (W)	<u>81° 49' 14.45274"</u>
NORTH (y) meters	<u>137,390.601</u>	EAST (x) meters	<u>657,235.435</u>
NORTH (y) US feet	<u>450,755.66</u>	EAST (x) US feet	<u>2,156,279.92</u>
CONVERGENCE	<u>00° 26' 46.60"</u>	COMBINED FACTOR	<u>0.99989527</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>306.111</u>	ELEVATION (z) US feet	<u>1004.30</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>GRE1</u>	TOWNSHIP	<u>GREEN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>ORRVILLE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 51' 37.48037"</u>	LONGITUDE (W)	<u>81° 51' 48.91057"</u>
NORTH (y) meters	<u>132,756.052</u>	EAST (x) meters	<u>653,654.200</u>
NORTH (y) US feet	<u>435,550.48</u>	EAST (x) US feet	<u>2,144,530.49</u>
CONVERGENCE	<u>00° 25' 05.13"</u>	COMBINED FACTOR	<u>0.99989438</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>326.778</u>	ELEVATION (z) US feet	<u>1072.10</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>GRE2</u>	TOWNSHIP	<u>GREEN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 53' 08.17198"</u>	LONGITUDE (W)	<u>81° 49' 22.63640"</u>
NORTH (y) meters	<u>135,579.229</u>	EAST (x) meters	<u>657,057.959</u>
NORTH (y) US feet	<u>444,812.85</u>	EAST (x) US feet	<u>2,155,697.65</u>
CONVERGENCE	<u>00° 26' 41.23"</u>	COMBINED FACTOR	<u>0.99989008</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>344.697</u>	ELEVATION (z) US feet	<u>1130.89</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>GRE3</u>	TOWNSHIP	<u>GREEN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>ORRVILLE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 51' 44.62176"</u>	LONGITUDE (W)	<u>81° 47' 03.04958"</u>
NORTH (y) meters	<u>133,028.225</u>	EAST (x) meters	<u>660,346.726</u>
NORTH (y) US feet	<u>436,443.43</u>	EAST (x) US feet	<u>2,166,487.55</u>
CONVERGENCE	<u>00° 28' 12.93"</u>	COMBINED FACTOR	<u>0.99989395</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>328.733</u>	ELEVATION (z) US feet	<u>1078.52</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>GRE4</u>	TOWNSHIP	<u>GREEN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WOOSTER</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 50' 02.79478"</u>	LONGITUDE (W)	<u>81° 52' 39.22088"</u>
NORTH (y) meters	<u>129,826.967</u>	EAST (x) meters	<u>652,496.865</u>
NORTH (y) US feet	<u>425,940.64</u>	EAST (x) US feet	<u>2,140,733.47</u>
CONVERGENCE	<u>00° 24' 32.08"</u>	COMBINED FACTOR	<u>0.99989406</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>339.971</u>	ELEVATION (z) US feet	<u>1115.39</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>GRE5</u>	TOWNSHIP	<u>GREEN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>ORRVILLE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 51' 30.97101"</u>	LONGITUDE (W)	<u>81° 49' 23.32542"</u>
NORTH (y) meters	<u>132,580.940</u>	EAST (x) meters	<u>657,065.098</u>
NORTH (y) US feet	<u>434,975.97</u>	EAST (x) US feet	<u>2,155,721.08</u>
CONVERGENCE	<u>00° 26' 40.77"</u>	COMBINED FACTOR	<u>0.99989151</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>345.745</u>	ELEVATION (z) US feet	<u>1134.33</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>L288</u>	TOWNSHIP	<u>GREEN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>ORRVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 49' 46.50374"</u>	LONGITUDE (W)	<u>81° 48' 39.06150"</u>
NORTH (y) meters	<u>129,366.780</u>	EAST (x) meters	<u>658,127.167</u>
NORTH (y) US feet	<u>424,430.84</u>	EAST (x) US feet	<u>2,159,205.55</u>
CONVERGENCE	<u>00° 27' 09.85"</u>	COMBINED FACTOR	<u>0.99989876</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>312.121</u>	ELEVATION (z) US feet	<u>1024.02</u>


STATION REFERENCES




WAYNE COUNTY

STATION NAME	<u>Q288</u>	TOWNSHIP	<u>GREEN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WOOSTER</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 49' 45.32529"</u>	LONGITUDE (W)	<u>81° 52' 38.81398"</u>
NORTH (y) meters	<u>129,288.189</u>	EAST (x) meters	<u>652,510.244</u>
NORTH (y) US feet	<u>424,173.00</u>	EAST (x) US feet	<u>2,140,777.36</u>
CONVERGENCE	<u>00° 24' 32.35"</u>	COMBINED FACTOR	<u>0.99989453</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>339.221</u>	ELEVATION (z) US feet	<u>1112.93</u>

STATION REFERENCES



Milton Township



GPS Station - 5JCS
GPS Station - A288
GPS Station - C177
GPS Station - G281
GPS Station - M306
GPS Station - MIL1


GPS Station - MIL2
GPS Station - MIL4
GPS Station - MIL5
GPS Station - MIL6
GPS Station - MIL7

[Return to Key Map](#)

WAYNE COUNTY

STATION NAME	<u>5JCS</u>	TOWNSHIP	<u>MILTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 55' 32.57259"</u>	LONGITUDE (W)	<u>81° 45' 48.63821"</u>
NORTH (y) meters	<u>140,073.855</u>	EAST (x) meters	<u>662,029.866</u>
NORTH (y) US feet	<u>459,558.97</u>	EAST (x) US feet	<u>2,172,009.65</u>
CONVERGENCE	<u>00° 29' 01.81"</u>	COMBINED FACTOR	<u>0.99989348</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>310.445</u>	ELEVATION (z) US feet	<u>1018.52</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>A288</u>	TOWNSHIP	<u>MILTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 54' 05.94419"</u>	LONGITUDE (W)	<u>81° 50' 56.31443"</u>
NORTH (y) meters	<u>137,344.524</u>	EAST (x) meters	<u>654,851.724</u>
NORTH (y) US feet	<u>450,604.49</u>	EAST (x) US feet	<u>2,148,459.36</u>
CONVERGENCE	<u>00° 25' 39.68"</u>	COMBINED FACTOR	<u>0.99988770</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>354.438</u>	ELEVATION (z) US feet	<u>1162.85</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>C177</u>	TOWNSHIP	<u>MILTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 58' 32.04301"</u>	LONGITUDE (W)	<u>81° 51' 51.42776"</u>
NORTH (y) meters	<u>145,542.923</u>	EAST (x) meters	<u>653,502.043</u>
NORTH (y) US feet	<u>477,502.07</u>	EAST (x) US feet	<u>2,144,031.29</u>
CONVERGENCE	<u>00° 25' 03.48"</u>	COMBINED FACTOR	<u>0.99989376</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>297.428</u>	ELEVATION (z) US feet	<u>975.81</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>G281</u>	TOWNSHIP	<u>MILTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 56' 24.04815"</u>	LONGITUDE (W)	<u>81° 46' 58.76883"</u>
NORTH (y) meters	<u>141,647.952</u>	EAST (x) meters	<u>660,376.111</u>
NORTH (y) US feet	<u>464,723.32</u>	EAST (x) US feet	<u>2,166,583.96</u>
CONVERGENCE	<u>00° 28' 15.74"</u>	COMBINED FACTOR	<u>0.99989529</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>295.207</u>	ELEVATION (z) US feet	<u>968.52</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>M306</u>	TOWNSHIP	<u>MILTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 57' 50.66170"</u>	LONGITUDE (W)	<u>81° 49' 54.14310"</u>
NORTH (y) meters	<u>144,286.998</u>	EAST (x) meters	<u>656,253.642</u>
NORTH (y) US feet	<u>473,381.59</u>	EAST (x) US feet	<u>2,153,058.82</u>
CONVERGENCE	<u>00° 26' 20.53"</u>	COMBINED FACTOR	<u>0.99989486</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>292.584</u>	ELEVATION (z) US feet	<u>959.92</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>MIL1</u>	TOWNSHIP	<u>MILTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 58' 03.40315"</u>	LONGITUDE (W)	<u>81° 49' 18.62391"</u>
NORTH (y) meters	<u>144,686.423</u>	EAST (x) meters	<u>657,081.077</u>
NORTH (y) US feet	<u>474,692.04</u>	EAST (x) US feet	<u>2,155,773.50</u>
CONVERGENCE	<u>00° 26' 43.86"</u>	COMBINED FACTOR	<u>0.99989233</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>307.972</u>	ELEVATION (z) US feet	<u>1010.40</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>MIL2</u>	TOWNSHIP	<u>MILTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 59' 16.89853"</u>	LONGITUDE (W)	<u>81° 48' 55.86634"</u>
NORTH (y) meters	<u>146,957.574</u>	EAST (x) meters	<u>657,595.362</u>
NORTH (y) US feet	<u>482,143.31</u>	EAST (x) US feet	<u>2,157,460.78</u>
CONVERGENCE	<u>00° 26' 58.81"</u>	COMBINED FACTOR	<u>0.99988980</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>320.560</u>	ELEVATION (z) US feet	<u>1051.70</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>MIL4</u>	TOWNSHIP	<u>MILTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 54' 59.24880"</u>	LONGITUDE (W)	<u>81° 47' 35.73442"</u>
NORTH (y) meters	<u>139,025.248</u>	EAST (x) meters	<u>659,532.685</u>
NORTH (y) US feet	<u>456,118.67</u>	EAST (x) US feet	<u>2,163,816.82</u>
CONVERGENCE	<u>00° 27' 51.46"</u>	COMBINED FACTOR	<u>0.99989259</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>318.764</u>	ELEVATION (z) US feet	<u>1045.81</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>MIL5</u>	TOWNSHIP	<u>MILTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 55' 01.30214"</u>	LONGITUDE (W)	<u>81° 50' 28.37163"</u>
NORTH (y) meters	<u>139,056.961</u>	EAST (x) meters	<u>655,492.788</u>
NORTH (y) US feet	<u>456,222.71</u>	EAST (x) US feet	<u>2,150,562.59</u>
CONVERGENCE	<u>00° 25' 58.04"</u>	COMBINED FACTOR	<u>0.99989160</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>324.929</u>	ELEVATION (z) US feet	<u>1066.04</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>MIL6</u>	TOWNSHIP	<u>MILTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 56' 59.65782"</u>	LONGITUDE (W)	<u>81° 51' 52.57943"</u>
NORTH (y) meters	<u>142,693.063</u>	EAST (x) meters	<u>653,495.881</u>
NORTH (y) US feet	<u>468,152.16</u>	EAST (x) US feet	<u>2,144,011.07</u>
CONVERGENCE	<u>00° 25' 02.72"</u>	COMBINED FACTOR	<u>0.99989288</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>308.193</u>	ELEVATION (z) US feet	<u>1011.13</u>


STATION REFERENCES




WAYNE COUNTY

STATION NAME	<u>MIL7</u>	TOWNSHIP	<u>MILTON</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>RITTMAN</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 56' 32.57201"</u>	LONGITUDE (W)	<u>81° 49' 53.33306"</u>
NORTH (y) meters	<u>141,878.440</u>	EAST (x) meters	<u>656,291.045</u>
NORTH (y) US feet	<u>465,479.52</u>	EAST (x) US feet	<u>2,153,181.54</u>
CONVERGENCE	<u>00° 26' 21.06"</u>	COMBINED FACTOR	<u>0.99989464</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>298.754</u>	ELEVATION (z) US feet	<u>980.16</u>

STATION REFERENCES



Paint Township



GPS Station - E278
GPS Station - EATON
GPS Station - PAI1
GPS Station - PAI3


GPS Station - PAI4
GPS Station - PAI5
GPS Station - PAI6
GPS Station - PAI7

[Return to Key Map](#)

WAYNE COUNTY

STATION NAME	<u>E278</u>	TOWNSHIP	<u>PAINT</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WILMOT</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 41' 44.53961"</u>	LONGITUDE (W)	<u>81° 43' 16.13947"</u>
NORTH (y) meters	<u>114,564.575</u>	EAST (x) meters	<u>665,825.641</u>
NORTH (y) US feet	<u>375,867.28</u>	EAST (x) US feet	<u>2,184,462.96</u>
CONVERGENCE	<u>00° 30' 42.00"</u>	COMBINED FACTOR	<u>0.99990228</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>368.471</u>	ELEVATION (z) US feet	<u>1208.89</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>EATON</u>	TOWNSHIP	<u>PAINT</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WILMOT</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 41' 31.82367"</u>	LONGITUDE (W)	<u>81° 42' 10.62319"</u>
NORTH (y) meters	<u>114,186.259</u>	EAST (x) meters	<u>667,367.295</u>
NORTH (y) US feet	<u>374,626.08</u>	EAST (x) US feet	<u>2,189,520.87</u>
CONVERGENCE	<u>00° 31' 25.04"</u>	COMBINED FACTOR	<u>0.99989892</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>392.375</u>	ELEVATION (z) US feet	<u>1287.32</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>PAI1</u>	TOWNSHIP	<u>PAINT</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WILMOT</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 40' 04.73434"</u>	LONGITUDE (W)	<u>81° 44' 24.90355"</u>
NORTH (y) meters	<u>111,471.917</u>	EAST (x) meters	<u>664,238.140</u>
NORTH (y) US feet	<u>365,720.78</u>	EAST (x) US feet	<u>2,179,254.63</u>
CONVERGENCE	<u>00° 29' 56.82"</u>	COMBINED FACTOR	<u>0.99991101</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>333.430</u>	ELEVATION (z) US feet	<u>1093.93</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>PAI3</u>	TOWNSHIP	<u>PAINT</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WILMOT</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 40' 04.43854"</u>	LONGITUDE (W)	<u>81° 41' 17.36745"</u>
NORTH (y) meters	<u>111,502.478</u>	EAST (x) meters	<u>668,642.689</u>
NORTH (y) US feet	<u>365,821.05</u>	EAST (x) US feet	<u>2,193,705.22</u>
CONVERGENCE	<u>00° 32' 00.02"</u>	COMBINED FACTOR	<u>0.99991335</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>318.571</u>	ELEVATION (z) US feet	<u>1045.18</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>PAI4</u>	TOWNSHIP	<u>PAINT</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WILMOT</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 40' 05.37725"</u>	LONGITUDE (W)	<u>81° 38' 58.62916"</u>
NORTH (y) meters	<u>111,562.483</u>	EAST (x) meters	<u>671,900.796</u>
NORTH (y) US feet	<u>366,017.91</u>	EAST (x) US feet	<u>2,204,394.53</u>
CONVERGENCE	<u>00° 33' 31.17"</u>	COMBINED FACTOR	<u>0.99991345</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>317.749</u>	ELEVATION (z) US feet	<u>1042.48</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>PAI5</u>	TOWNSHIP	<u>PAINT</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WILMOT</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 41' 20.81459"</u>	LONGITUDE (W)	<u>81° 38' 52.35101"</u>
NORTH (y) meters	<u>113,890.707</u>	EAST (x) meters	<u>672,025.508</u>
NORTH (y) US feet	<u>373,656.43</u>	EAST (x) US feet	<u>2,204,803.69</u>
CONVERGENCE	<u>00° 33' 35.29"</u>	COMBINED FACTOR	<u>0.99996084</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>365.208</u>	ELEVATION (z) US feet	<u>1198.19</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>PAI6</u>	TOWNSHIP	<u>PAINT</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WILMOT</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 41' 13.07709"</u>	LONGITUDE (W)	<u>81° 40' 24.48495"</u>
NORTH (y) meters	<u>117,332.522</u>	EAST (x) meters	<u>669,829.540</u>
NORTH (y) US feet	<u>384,948.45</u>	EAST (x) US feet	<u>2,197,599.08</u>
CONVERGENCE	<u>00° 32' 34.77"</u>	COMBINED FACTOR	<u>0.99990848</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>311.876</u>	ELEVATION (z) US feet	<u>1023.21</u>


STATION REFERENCES




WAYNE COUNTY

STATION NAME	<u>PAI7</u>	TOWNSHIP	<u>PAINT</u>
TYPE OF MARK	<u>Pin in Monument Box</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WILMOT</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 41' 36.07661"</u>	LONGITUDE (W)	<u>81° 44' 45.48471"</u>
NORTH (y) meters	<u>114,285.107</u>	EAST (x) meters	<u>663,730.412</u>
NORTH (y) US feet	<u>374,950.39</u>	EAST (x) US feet	<u>2,177,588.86</u>
CONVERGENCE	<u>00° 29' 43.30"</u>	COMBINED FACTOR	<u>0.99990305</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>365.232</u>	ELEVATION (z) US feet	<u>1198.27</u>

STATION REFERENCES



Plain Township



GPS Station - A257
GPS Station - D239
GPS Station - E257
GPS Station - PLA1
GPS Station - PLA2
GPS Station - PLA3


GPS Station - PLA4
GPS Station - PLA5
GPS Station - PLA6
GPS Station - R258
GPS Station - SPRING
GPS Station - T256

[Return to Key Map](#)

WAYNE COUNTY

STATION NAME	<u>A257</u>	TOWNSHIP	<u>PLAIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>SHREVE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 43' 56.59719"</u>	LONGITUDE (W)	<u>82° 02' 21.75985"</u>
NORTH (y) meters	<u>118,446.781</u>	EAST (x) meters	<u>638,908.977</u>
NORTH (y) US feet	<u>388,604.15</u>	EAST (x) US feet	<u>2,096,153.87</u>
CONVERGENCE	<u>00° 18' 09.38"</u>	COMBINED FACTOR	<u>0.99990777</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>308.462</u>	ELEVATION (z) US feet	<u>1012.01</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>D239</u>	TOWNSHIP	<u>PLAIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>NEW PITTSBURG</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 48' 26.68178"</u>	LONGITUDE (W)	<u>82° 05' 48.24479"</u>
NORTH (y) meters	<u>126,753.621</u>	EAST (x) meters	<u>634,025.527</u>
NORTH (y) US feet	<u>415,857.51</u>	EAST (x) US feet	<u>2,080,132.08</u>
CONVERGENCE	<u>00° 15' 53.73"</u>	COMBINED FACTOR	<u>0.99989776</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>329.106</u>	ELEVATION (z) US feet	<u>1079.74</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>E257</u>	TOWNSHIP	<u>PLAIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>NEW PITTSBURG</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 46' 48.18640"</u>	LONGITUDE (W)	<u>82° 07' 37.21177"</u>
NORTH (y) meters	<u>123,704.127</u>	EAST (x) meters	<u>631,484.622</u>
NORTH (y) US feet	<u>405,852.62</u>	EAST (x) US feet	<u>2,071,795.80</u>
CONVERGENCE	<u>00° 14' 42.15"</u>	COMBINED FACTOR	<u>0.99990125</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>321.372</u>	ELEVATION (z) US feet	<u>1054.37</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>PLA1</u>	TOWNSHIP	<u>PLAIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>NEW PITTSBURG</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 48' 14.46325"</u>	LONGITUDE (W)	<u>82° 07' 38.25850"</u>
NORTH (y) meters	<u>126,365.265</u>	EAST (x) meters	<u>631,448.706</u>
NORTH (y) US feet	<u>414,583.37</u>	EAST (x) US feet	<u>2,071,677.96</u>
CONVERGENCE	<u>00° 14' 41.46"</u>	COMBINED FACTOR	<u>0.99990279</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>298.802</u>	ELEVATION (z) US feet	<u>980.32</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>PLA2</u>	TOWNSHIP	<u>PLAIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>NEW PITTSBURG</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 46' 38.33404"</u>	LONGITUDE (W)	<u>82° 03' 44.00924"</u>
NORTH (y) meters	<u>123,425.644</u>	EAST (x) meters	<u>636,954.051</u>
NORTH (y) US feet	<u>404,938.97</u>	EAST (x) US feet	<u>2,089,740.08</u>
CONVERGENCE	<u>00° 17' 15.35"</u>	COMBINED FACTOR	<u>0.99989428</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>367.315</u>	ELEVATION (z) US feet	<u>1205.10</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>PLA3</u>	TOWNSHIP	<u>PLAIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>NEW PITTSBURG</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 48' 22.65152"</u>	LONGITUDE (W)	<u>82° 02' 31.40005"</u>
NORTH (y) meters	<u>126,652.085</u>	EAST (x) meters	<u>638,639.620</u>
NORTH (y) US feet	<u>415,524.38</u>	EAST (x) US feet	<u>2,095,270.38</u>
CONVERGENCE	<u>00° 18' 03.05"</u>	COMBINED FACTOR	<u>0.99989486</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>348.159</u>	ELEVATION (z) US feet	<u>1142.25</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>PLA4</u>	TOWNSHIP	<u>PLAIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>NEW PITTSBURG</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 44' 55.35391"</u>	LONGITUDE (W)	<u>82° 02' 52.53905"</u>
NORTH (y) meters	<u>120,255.361</u>	EAST (x) meters	<u>638,177.385</u>
NORTH (y) US feet	<u>394,537.80</u>	EAST (x) US feet	<u>2,093,753.64</u>
CONVERGENCE	<u>00° 17' 49.16"</u>	COMBINED FACTOR	<u>0.99990027</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>345.927</u>	ELEVATION (z) US feet	<u>1134.93</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>PLA5</u>	TOWNSHIP	<u>PLAIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>LOUDONVILLE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 44' 57.26559"</u>	LONGITUDE (W)	<u>82° 07' 35.36332"</u>
NORTH (y) meters	<u>120,282.925</u>	EAST (x) meters	<u>631,542.615</u>
NORTH (y) US feet	<u>394,628.23</u>	EAST (x) US feet	<u>2,071,986.06</u>
CONVERGENCE	<u>00° 14' 43.36"</u>	COMBINED FACTOR	<u>0.99990807</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>295.921</u>	ELEVATION (z) US feet	<u>970.87</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>PLA6</u>	TOWNSHIP	<u>PLAIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>NEW PITTSBURG</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 45' 33.24068"</u>	LONGITUDE (W)	<u>82° 06' 04.47791"</u>
NORTH (y) meters	<u>121,402.025</u>	EAST (x) meters	<u>633,669.526</u>
NORTH (y) US feet	<u>398,299.81</u>	EAST (x) US feet	<u>2,078,964.10</u>
CONVERGENCE	<u>00° 15' 43.07"</u>	COMBINED FACTOR	<u>0.99990803</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>290.124</u>	ELEVATION (z) US feet	<u>951.85</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>R258</u>	TOWNSHIP	<u>PLAIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>SHREVE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 43' 40.66472"</u>	LONGITUDE (W)	<u>82° 00' 53.56446"</u>
NORTH (y) meters	<u>117,966.564</u>	EAST (x) meters	<u>640,981.108</u>
NORTH (y) US feet	<u>387,028.63</u>	EAST (x) US feet	<u>2,102,952.18</u>
CONVERGENCE	<u>00° 19' 07.32"</u>	COMBINED FACTOR	<u>0.99991421</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>270.280</u>	ELEVATION (z) US feet	<u>886.74</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>SPRING</u>	TOWNSHIP	<u>PLAIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>SHREVE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 44' 31.85005"</u>	LONGITUDE (W)	<u>82° 02' 32.00371"</u>
NORTH (y) meters	<u>119,532.894</u>	EAST (x) meters	<u>638,662.909</u>
NORTH (y) US feet	<u>392,167.50</u>	EAST (x) US feet	<u>2,095,346.56</u>
CONVERGENCE	<u>00° 18' 02.65"</u>	COMBINED FACTOR	<u>0.99990148</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>342.295</u>	ELEVATION (z) US feet	<u>1123.01</u>


STATION REFERENCES




WAYNE COUNTY

STATION NAME	<u>T256</u>	TOWNSHIP	<u>PLAIN</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>NEW PITTSBURG</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 47' 33.24926"</u>	LONGITUDE (W)	<u>82° 01' 21.81265"</u>
NORTH (y) meters	<u>125,137.006</u>	EAST (x) meters	<u>640,278.994</u>
NORTH (y) US feet	<u>410,553.66</u>	EAST (x) US feet	<u>2,100,648.67</u>
CONVERGENCE	<u>00° 18' 48.76"</u>	COMBINED FACTOR	<u>0.99989536</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>352.074</u>	ELEVATION (z) US feet	<u>1155.10</u>

STATION REFERENCES



Salt Creek Township



GPS Station - M278
GPS Station - M280
GPS Station - SAL2
GPS Station - SAL3
GPS Station - SAL4


GPS Station - V278
GPS Station - WEAVER
GPS Station - X277
GPS Station - X279

[Return to Key Map](#)

WAYNE COUNTY

STATION NAME	<u>M278</u>	TOWNSHIP	<u>SALT CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>FREDERICKBURG</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 41' 39.01747"</u>	LONGITUDE (W)	<u>81° 48' 47.42385"</u>
NORTH (y) meters	<u>114,328.895</u>	EAST (x) meters	<u>658,049.661</u>
NORTH (y) US feet	<u>375,094.05</u>	EAST (x) US feet	<u>2,158,951.26</u>
CONVERGENCE	<u>00° 27' 04.36"</u>	COMBINED FACTOR	<u>0.99990255</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>367.846</u>	ELEVATION (z) US feet	<u>1206.84</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>M280</u>	TOWNSHIP	<u>SALT CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>FREDERICKSBURG</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 41' 49.96248"</u>	LONGITUDE (W)	<u>81° 47' 02.14150"</u>
NORTH (y) meters	<u>114,686.368</u>	EAST (x) meters	<u>660,518.590</u>
NORTH (y) US feet	<u>376,266.86</u>	EAST (x) US feet	<u>2,167,051.41</u>
CONVERGENCE	<u>00° 28' 13.52"</u>	COMBINED FACTOR	<u>0.99990017</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>380.821</u>	ELEVATION (z) US feet	<u>1249.41</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>SAL2</u>	TOWNSHIP	<u>SALT CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>FREDERICKSBURG</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 43' 12.34700"</u>	LONGITUDE (W)	<u>81° 46' 25.95739"</u>
NORTH (y) meters	<u>117,234.492</u>	EAST (x) meters	<u>661,346.883</u>
NORTH (y) US feet	<u>384,626.83</u>	EAST (x) US feet	<u>2,169,768.90</u>
CONVERGENCE	<u>00° 28' 37.30"</u>	COMBINED FACTOR	<u>0.99990131</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>357.682</u>	ELEVATION (z) US feet	<u>1173.50</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>SAL3</u>	TOWNSHIP	<u>SALT CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>FREDERICKSBURG</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 39' 59.93126"</u>	LONGITUDE (W)	<u>81° 48' 12.61092"</u>
NORTH (y) meters	<u>111,279.119</u>	EAST (x) meters	<u>658,891.368</u>
NORTH (y) US feet	<u>365,088.24</u>	EAST (x) US feet	<u>2,161,712.76</u>
CONVERGENCE	<u>00° 27' 27.23"</u>	COMBINED FACTOR	<u>0.99990952</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>343.931</u>	ELEVATION (z) US feet	<u>1128.38</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>SAL4</u>	TOWNSHIP	<u>SALT CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>FREDRICKSBURG</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 40' 09.03759"</u>	LONGITUDE (W)	<u>81° 52' 28.57360"</u>
NORTH (y) meters	<u>111,514.440</u>	EAST (x) meters	<u>652,877.635</u>
NORTH (y) US feet	<u>365,860.29</u>	EAST (x) US feet	<u>2,141,982.71</u>
CONVERGENCE	<u>00° 24' 39.08"</u>	COMBINED FACTOR	<u>0.99991763</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>290.302</u>	ELEVATION (z) US feet	<u>952.43</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>V278</u>	TOWNSHIP	<u>SALT CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>FREDERICKSBURG</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 40' 30.44572"</u>	LONGITUDE (W)	<u>81° 47' 02.23842"</u>
NORTH (y) meters	<u>112,233.703</u>	EAST (x) meters	<u>660,536.452</u>
NORTH (y) US feet	<u>368,220.07</u>	EAST (x) US feet	<u>2,167,110.01</u>
CONVERGENCE	<u>00° 28' 13.46"</u>	COMBINED FACTOR	<u>0.99990170</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>387.322</u>	ELEVATION (z) US feet	<u>1270.74</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>WEAVER</u>	TOWNSHIP	<u>HOLMES CO.</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>FREDERICKSBURG</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 39' 42.13117"</u>	LONGITUDE (W)	<u>81° 45' 54.67795"</u>
NORTH (y) meters	<u>110,756.671</u>	EAST (x) meters	<u>662,135.569</u>
NORTH (y) US feet	<u>363,374.18</u>	EAST (x) US feet	<u>2,172,356.45</u>
CONVERGENCE	<u>00° 28' 57.85"</u>	COMBINED FACTOR	<u>0.99989999</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>408.544</u>	ELEVATION (z) US feet	<u>1340.36</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>X277</u>	TOWNSHIP	<u>SALT CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>FREDERICKSBURG</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 43' 25.35627"</u>	LONGITUDE (W)	<u>81° 49' 20.46120"</u>
NORTH (y) meters	<u>117,602.799</u>	EAST (x) meters	<u>657,248.560</u>
NORTH (y) US feet	<u>385,835.18</u>	EAST (x) US feet	<u>2,156,322.98</u>
CONVERGENCE	<u>00° 26' 42.66"</u>	COMBINED FACTOR	<u>0.99990207</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>350.430</u>	ELEVATION (z) US feet	<u>1149.70</u>


STATION REFERENCES




WAYNE COUNTY

STATION NAME	<u>X279</u>	TOWNSHIP	<u>SALT CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>FREDERICKSBURG</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 41' 21.98366"</u>	LONGITUDE (W)	<u>81° 51' 08.21237"</u>
NORTH (y) meters	<u>113,778.206</u>	EAST (x) meters	<u>654,748.277</u>
NORTH (y) US feet	<u>373,287.33</u>	EAST (x) US feet	<u>2,148,119.97</u>
CONVERGENCE	<u>00° 26' 42.66"</u>	COMBINED FACTOR	<u>0.99990207</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>315.578</u>	ELEVATION (z) US feet	<u>1035.36</u>

STATION REFERENCES



Sugar Creek Township



GPS Station - L280
GPS Station - M279
GPS Station - N279
GPS Station - ODOT1
GPS Station - ODOT2
GPS Station - POLLY
GPS Station - POLLYAZ


GPS Station - S280
GPS Station - SUG2
GPS Station - SUG3
GPS Station - SUG4
GPS Station - SUG5
GPS Station - SUG6

[Return to Key Map](#)

WAYNE COUNTY

STATION NAME	<u>L280</u>	TOWNSHIP	<u>SUGAR CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WILMOT</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 44' 00.91318"</u>	LONGITUDE (W)	<u>81° 41' 48.59817"</u>
NORTH (y) meters	<u>118,789.545</u>	EAST (x) meters	<u>667,842.035</u>
NORTH (y) US feet	<u>389,728.70</u>	EAST (x) US feet	<u>2,191,078.41</u>
CONVERGENCE	<u>00° 31' 39.51"</u>	COMBINED FACTOR	<u>0.99990315</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>337.110</u>	ELEVATION (z) US feet	<u>1106.00</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>M279</u>	TOWNSHIP	<u>SUGAR CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WILMOT</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 44' 01.01814"</u>	LONGITUDE (W)	<u>81° 40' 39.77400"</u>
NORTH (y) meters	<u>118,807.831</u>	EAST (x) meters	<u>669,456.804</u>
NORTH (y) US feet	<u>389,788.69</u>	EAST (x) US feet	<u>2,196,376.20</u>
CONVERGENCE	<u>00° 32' 24.72"</u>	COMBINED FACTOR	<u>0.99990342</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>335.386</u>	ELEVATION (z) US feet	<u>1100.35</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>N279</u>	TOWNSHIP	<u>SUGAR CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>DALTON</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 46' 13.73715"</u>	LONGITUDE (W)	<u>81° 41' 31.87141"</u>
NORTH (y) meters	<u>122,890.024</u>	EAST (x) meters	<u>668,196.542</u>
NORTH (y) US feet	<u>403,181.69</u>	EAST (x) US feet	<u>2,192,241.49</u>
CONVERGENCE	<u>00° 30' 50.50"</u>	COMBINED FACTOR	<u>0.99989517</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>365.506</u>	ELEVATION (z) US feet	<u>1199.16</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>ODOTE1</u>	TOWNSHIP	<u>SUGAR CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>DALTON</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 48' 04.08189"</u>	LONGITUDE (W)	<u>81° 43' 45.54410"</u>
NORTH (y) meters	<u>126,265.183</u>	EAST (x) meters	<u>665,031.882</u>
NORTH (y) US feet	<u>414,255.02</u>	EAST (x) US feet	<u>2,181,858.77</u>
CONVERGENCE	<u>00° 27' 53.35"</u>	COMBINED FACTOR	<u>0.99994991</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>343.306</u>	ELEVATION (z) US feet	<u>1126.33</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>ODOTE2</u>	TOWNSHIP	<u>SUGAR CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>ORRVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 47' 48.56076"</u>	LONGITUDE (W)	<u>81° 45' 03.74826"</u>
NORTH (y) meters	<u>125,770.468</u>	EAST (x) meters	<u>663,202.972</u>
NORTH (y) US feet	<u>412,631.94</u>	EAST (x) US feet	<u>2,175,858.42</u>
CONVERGENCE	<u>00° 29' 31.30"</u>	COMBINED FACTOR	<u>0.99990059</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>316.492</u>	ELEVATION (z) US feet	<u>1038.36</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>POLLY</u>	TOWNSHIP	<u>SUGAR CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>ORRVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 46' 25.38196"</u>	LONGITUDE (W)	<u>81° 45' 18.24875"</u>
NORTH (y) meters	<u>123,201.946</u>	EAST (x) meters	<u>662,884.988</u>
NORTH (y) US feet	<u>404,205.05</u>	EAST (x) US feet	<u>2,174,815.17</u>
CONVERGENCE	<u>00° 29' 21.78"</u>	COMBINED FACTOR	<u>0.99989457</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>367.468</u>	ELEVATION (z) US feet	<u>1205.60</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>POLLY AZ</u>	TOWNSHIP	<u>SUGAR CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>ORRVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 46' 10.27491"</u>	LONGITUDE (W)	<u>81° 45' 17.54700"</u>
NORTH (y) meters	<u>122,736.118</u>	EAST (x) meters	<u>662,905.424</u>
NORTH (y) US feet	<u>402,676.75</u>	EAST (x) US feet	<u>2,174,882.21</u>
CONVERGENCE	<u>00° 29' 22.24"</u>	COMBINED FACTOR	<u>0.99989522</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>365.711</u>	ELEVATION (z) US feet	<u>1199.84</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>S280</u>	TOWNSHIP	<u>SUGAR CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>DALTON</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 47' 51.31626"</u>	LONGITUDE (W)	<u>81° 40' 07.04868"</u>
NORTH (y) meters	<u>125,918.471</u>	EAST (x) meters	<u>670,156.912</u>
NORTH (y) US feet	<u>413,117.52</u>	EAST (x) US feet	<u>2,198,673.13</u>
CONVERGENCE	<u>00° 32' 46.22"</u>	COMBINED FACTOR	<u>0.99989593</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>345.791</u>	ELEVATION (z) US feet	<u>1134.48</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>SUG2</u>	TOWNSHIP	<u>SUGAR CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>DALTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 47' 58.57272"</u>	LONGITUDE (W)	<u>81° 38' 53.72938"</u>
NORTH (y) meters	<u>126,158.875</u>	EAST (x) meters	<u>671,873.328</u>
NORTH (y) US feet	<u>413,906.24</u>	EAST (x) US feet	<u>2,204,304.41</u>
CONVERGENCE	<u>00° 33' 34.39"</u>	COMBINED FACTOR	<u>0.99989683</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>339.057</u>	ELEVATION (z) US feet	<u>1112.39</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>SUG3</u>	TOWNSHIP	<u>SUGAR CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>DALTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 46' 37.38164"</u>	LONGITUDE (W)	<u>81° 38' 53.86578"</u>
NORTH (y) meters	<u>123,654.571</u>	EAST (x) meters	<u>671,894.588</u>
NORTH (y) US feet	<u>405,690.04</u>	EAST (x) US feet	<u>2,204,374.16</u>
CONVERGENCE	<u>00° 33' 34.30"</u>	COMBINED FACTOR	<u>0.99989250</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>378.818</u>	ELEVATION (z) US feet	<u>1242.84</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>SUG4</u>	TOWNSHIP	<u>SUGAR CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>DALTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 46' 39.32021"</u>	LONGITUDE (W)	<u>81° 42' 49.07563"</u>
NORTH (y) meters	<u>123,662.571</u>	EAST (x) meters	<u>666,379.014</u>
NORTH (y) US feet	<u>405,716.29</u>	EAST (x) US feet	<u>2,186,278.48</u>
CONVERGENCE	<u>00° 30' 59.78"</u>	COMBINED FACTOR	<u>0.99989955</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>333.561</u>	ELEVATION (z) US feet	<u>1094.36</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>SUG5</u>	TOWNSHIP	<u>SUGAR CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WILMOT</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 44' 54.88157"</u>	LONGITUDE (W)	<u>81° 38' 53.96475"</u>
NORTH (y) meters	<u>120,493.023</u>	EAST (x) meters	<u>671,923.141</u>
NORTH (y) US feet	<u>395,317.53</u>	EAST (x) US feet	<u>2,204,467.84</u>
CONVERGENCE	<u>00° 33' 34.23"</u>	COMBINED FACTOR	<u>0.99990266</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>330.763</u>	ELEVATION (z) US feet	<u>1085.18</u>


STATION REFERENCES




WAYNE COUNTY

STATION NAME	<u>SUG6</u>	TOWNSHIP	<u>SUGAR CREEK</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WILMOT</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 44' 54.39084"</u>	LONGITUDE (W)	<u>81° 43' 48.74640"</u>
NORTH (y) meters	<u>120,413.606</u>	EAST (x) meters	<u>665,008.468</u>
NORTH (y) US feet	<u>395,056.97</u>	EAST (x) US feet	<u>2,181,781.95</u>
CONVERGENCE	<u>00° 30' 20.58"</u>	COMBINED FACTOR	<u>0.99989594</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>373.684</u>	ELEVATION (z) US feet	<u>1225.99</u>

STATION REFERENCES



Wayne Township



GPS Station - APPLE2
GPS Station - BJJJA
GPS Station - OVERTON
GPS Station - Q289
GPS Station - WAY2


GPS Station - WAY3
GPS Station - WAY4
GPS Station - WAY5
GPS Station - WO9602
GPS Station - WO9604

[Return to Key Map](#)

WAYNE COUNTY

STATION NAME	<u>APPLE2</u>	TOWNSHIP	<u>WAYNE</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>CRESTON</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 53' 10.76686"</u>	LONGITUDE (W)	<u>81° 55' 05.31557"</u>
NORTH (y) meters	<u>135,601.372</u>	EAST (x) meters	<u>649,035.536</u>
NORTH (y) US feet	<u>444,885.50</u>	EAST (x) US feet	<u>2,129,377.42</u>
CONVERGENCE	<u>00° 22' 56.10"</u>	COMBINED FACTOR	<u>0.99988770</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>359.578</u>	ELEVATION (z) US feet	<u>1179.72</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>BJJA</u>	TOWNSHIP	<u>WAYNE</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WOOSTER</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 52' 27.17450"</u>	LONGITUDE (W)	<u>81° 52' 41.82610"</u>
NORTH (y) meters	<u>134,279.935</u>	EAST (x) meters	<u>652,404.084</u>
NORTH (y) US feet	<u>440,550.09</u>	EAST (x) US feet	<u>2,140,429.07</u>
CONVERGENCE	<u>00° 24' 30.37"</u>	COMBINED FACTOR	<u>0.99989088</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>343.747</u>	ELEVATION (z) US feet	<u>1127.78</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>OVERTON</u>	TOWNSHIP	<u>WAYNE</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WOOSTER</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 52' 22.12324"</u>	LONGITUDE (W)	<u>81° 59' 18.55969"</u>
NORTH (y) meters	<u>134,063.779</u>	EAST (x) meters	<u>643,116.088</u>
NORTH (y) US feet	<u>439,840.91</u>	EAST (x) US feet	<u>2,109,956.70</u>
CONVERGENCE	<u>00° 20' 09.73"</u>	COMBINED FACTOR	<u>0.99988827</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>360.889</u>	ELEVATION (z) US feet	<u>1184.02</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>Q289</u>	TOWNSHIP	<u>WAYNE</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WOOSTER</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 50' 25.94917"</u>	LONGITUDE (W)	<u>81° 54' 56.18246"</u>
NORTH (y) meters	<u>130,518.967</u>	EAST (x) meters	<u>649,283.400</u>
NORTH (y) US feet	<u>428,210.98</u>	EAST (x) US feet	<u>2,130,190.62</u>
CONVERGENCE	<u>00° 23 02.10"</u>	COMBINED FACTOR	<u>0.99989374</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>339.154</u>	ELEVATION (z) US feet	<u>1112.71</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>WAY2</u>	TOWNSHIP	<u>WAYNE</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>CRESTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 53' 11.56864"</u>	LONGITUDE (W)	<u>81° 53' 52.70845"</u>
NORTH (y) meters	<u>135,637.639</u>	EAST (x) meters	<u>650,735.036</u>
NORTH (y) US feet	<u>445,004.49</u>	EAST (x) US feet	<u>2,134,953.20</u>
CONVERGENCE	<u>00° 23' 43.80"</u>	COMBINED FACTOR	<u>0.99989069</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>340.481</u>	ELEVATION (z) US feet	<u>1117.06</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>WAY3</u>	TOWNSHIP	<u>WAYNE</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>CRESTON</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 53' 13.85801"</u>	LONGITUDE (W)	<u>81° 58' 11.19193"</u>
NORTH (y) meters	<u>135,668.978</u>	EAST (x) meters	<u>644,683.738</u>
NORTH (y) US feet	<u>445,107.30</u>	EAST (x) US feet	<u>2,115,099.90</u>
CONVERGENCE	<u>00° 20' 53.99"</u>	COMBINED FACTOR	<u>0.99988857</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>353.787</u>	ELEVATION (z) US feet	<u>1160.72</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>WAY4</u>	TOWNSHIP	<u>WAYNE</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WOOSTER</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 51' 27.39552"</u>	LONGITUDE (W)	<u>81° 57' 05.46078"</u>
NORTH (y) meters	<u>132,394.625</u>	EAST (x) meters	<u>646,243.086</u>
NORTH (y) US feet	<u>434,364.70</u>	EAST (x) US feet	<u>2,120,215.86</u>
CONVERGENCE	<u>00° 21' 37.17"</u>	COMBINED FACTOR	<u>0.99988983</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>356.873</u>	ELEVATION (z) US feet	<u>1170.84</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>WAY5</u>	TOWNSHIP	<u>WAYNE</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WOOSTER</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 49' 56.67626"</u>	LONGITUDE (W)	<u>81° 57' 54.56639"</u>
NORTH (y) meters	<u>129,589.224</u>	EAST (x) meters	<u>645,110.223</u>
NORTH (y) US feet	<u>425,160.65</u>	EAST (x) US feet	<u>2,116,499.12</u>
CONVERGENCE	<u>00° 21' 04.91"</u>	COMBINED FACTOR	<u>0.99990007</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>302.459</u>	ELEVATION (z) US feet	<u>992.32</u>

STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>WO9602</u>	TOWNSHIP	<u>WAYNE</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXTSTED</u>
USGS QUAD	<u>WOOSTER</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 49' 59.17963"</u>	LONGITUDE (W)	<u>81° 56' 55.48427"</u>
NORTH (y) meters	<u>129,675.060</u>	EAST (x) meters	<u>646,493.929</u>
NORTH (y) US feet	<u>425,442.26</u>	EAST (x) US feet	<u>2,121,038.83</u>
CONVERGENCE	<u>00° 21' 43.73"</u>	COMBINED FACTOR	<u>0.99994748</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>351.081</u>	ELEVATION (z) US feet	<u>1151.84</u>


STATION REFERENCES

Monument destroyed


WAYNE COUNTY

STATION NAME	<u>WO9604</u>	TOWNSHIP	<u>WAYNE</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>HOLMESVILLE</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 48' 53.68632"</u>	LONGITUDE (W)	<u>81° 58' 29.58522"</u>
NORTH (y) meters	<u>127,641.301</u>	EAST (x) meters	<u>644,301.490</u>
NORTH (y) US feet	<u>418,769.83</u>	EAST (x) US feet	<u>2,113,845.80</u>
CONVERGENCE	<u>00° 20' 41.91"</u>	COMBINED FACTOR	<u>0.99990257</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>294.729</u>	ELEVATION (z) US feet	<u>966.96</u>

STATION REFERENCES



Wooster Township



GPS Station - L260-ECC
GPS Station - ODOTW1
GPS Station - WAYGAR
GPS Station - WOO1


GPS Station - WOO2
GPS Station - WOO5
GPS Station - WOO6
GPS Station - Z260

[Return to Key Map](#)

WAYNE COUNTY

STATION NAME	<u>L260-ECC</u>	TOWNSHIP	<u>WOOSTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WOOSTER</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 47' 58.23906"</u>	LONGITUDE (W)	<u>81° 58' 35.99644"</u>
NORTH (y) meters	<u>125,930.118</u>	EAST (x) meters	<u>644,161.508</u>
NORTH (y) US feet	<u>413,155.73</u>	EAST (x) US feet	<u>2,113,386.55</u>
CONVERGENCE	<u>00° 20' 37.70"</u>	COMBINED FACTOR	<u>0.99990913</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>260.658</u>	ELEVATION (z) US feet	<u>855.18</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>ODOTW1</u>	TOWNSHIP	<u>WOOSTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WOOSTER</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 47' 45.77793"</u>	LONGITUDE (W)	<u>81° 54' 55.22012"</u>
NORTH (y) meters	<u>125,578.627</u>	EAST (x) meters	<u>649,339.063</u>
NORTH (y) US feet	<u>412,002.55</u>	EAST (x) US feet	<u>2,130,373.24</u>
CONVERGENCE	<u>00° 23' 02.74</u>	COMBINED FACTOR	<u>0.99990348</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>298.514</u>	ELEVATION (z) US feet	<u>979.37</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>WAYGAR</u>	TOWNSHIP	<u>WOOSTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WOOSTER</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 46' 49.60238"</u>	LONGITUDE (W)	<u>81° 55' 19.75421"</u>
NORTH (y) meters	<u>123,842.060</u>	EAST (x) meters	<u>648,775.438</u>
NORTH (y) US feet	<u>406,305.16</u>	EAST (x) US feet	<u>2,128,524.08</u>
CONVERGENCE	<u>00° 22' 46.62</u>	COMBINED FACTOR	<u>0.99990290</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>310.644</u>	ELEVATION (z) US feet	<u>1019.17</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>WOO1</u>	TOWNSHIP	<u>WOOSTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WOOSTER</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 48' 18.49166"</u>	LONGITUDE (W)	<u>81° 57' 30.18733"</u>
NORTH (y) meters	<u>126,564.230</u>	EAST (x) meters	<u>645,700.191</u>
NORTH (y) US feet	<u>415,236.14</u>	EAST (x) US feet	<u>2,118,434.71</u>
CONVERGENCE	<u>00° 21' 20.93"</u>	COMBINED FACTOR	<u>0.99990670</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>273.322</u>	ELEVATION (z) US feet	<u>896.72</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>W002</u>	TOWNSHIP	<u>WOOSTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WOOSTER</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 48' 16.86086"</u>	LONGITUDE (W)	<u>81° 52' 37.21360"</u>
NORTH (y) meters	<u>126,559.775</u>	EAST (x) meters	<u>652,567.232</u>
NORTH (y) US feet	<u>415,221.53</u>	EAST (x) US feet	<u>2,140,964.33</u>
CONVERGENCE	<u>00° 24' 33.40"</u>	COMBINED FACTOR	<u>0.99989712</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>334.585</u>	ELEVATION (z) US feet	<u>1097.72</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>W005</u>	TOWNSHIP	<u>WOOSTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>WOOSTER</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 46' 44.48663"</u>	LONGITUDE (W)	<u>81° 58' 16.03563"</u>
NORTH (y) meters	<u>123,658.040</u>	EAST (x) meters	<u>644,643.184</u>
NORTH (y) US feet	<u>405,701.42</u>	EAST (x) US feet	<u>2,114,966.85</u>
CONVERGENCE	<u>00° 20' 50.81"</u>	COMBINED FACTOR	<u>0.99990254</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>313.673</u>	ELEVATION (z) US feet	<u>1029.11</u>


STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>W006</u>	TOWNSHIP	<u>WOOSTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>GCS</u>
USGS QUAD	<u>HOLMESVILLE</u>	DATE SET	<u>02/01/98</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 44' 50.43525"</u>	LONGITUDE (W)	<u>81° 58' 59.67372"</u>
NORTH (y) meters	<u>120,133.985</u>	EAST (x) meters	<u>643,640.837</u>
NORTH (y) US feet	<u>394,139.58</u>	EAST (x) US feet	<u>2,111,678.31</u>
CONVERGENCE	<u>00° 20' 22.14"</u>	COMBINED FACTOR	<u>0.99991009</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>284.177</u>	ELEVATION (z) US feet	<u>932.34</u>

STATION REFERENCES



WAYNE COUNTY

STATION NAME	<u>Z260</u>	TOWNSHIP	<u>WOOSTER</u>
TYPE OF MARK	<u>Brass Disk in Conc.</u>	SET BY	<u>EXISTED</u>
USGS QUAD	<u>WOOSTER</u>	DATE SET	<u>EXISTED</u>
HORIZONTAL DATUM	<u>NAD83-86</u>	HORIZONTAL ORDER	<u>1 st</u>
LATITUDE (N)	<u>40° 48' 37.23482"</u>	LONGITUDE (W)	<u>81° 59' 25.65457"</u>
NORTH (y) meters	<u>127,126.057</u>	EAST (x) meters	<u>642,990.496</u>
NORTH (y) US feet	<u>417,079.40</u>	EAST (x) US feet	<u>2,109,544.65</u>
CONVERGENCE	<u>00° 20' 05.07"</u>	COMBINED FACTOR	<u>0.99990798</u>
STATE PLANE COORDINATE SYSTEM ZONE		OHIO NORTH (3401)	
VERTICAL DATUM	<u>NAVD88</u>	VERTICAL ORDER	<u>2 nd</u>
ELEVATION (z) METERS	<u>262.550</u>	ELEVATION (z) US feet	<u>861.38</u>

STATION REFERENCES

